

## BMDS 3.0 Analysis Report

Marx et al. 2018

For

Liver weight – male – 90-day oral study in rats

18.07.2022 14:17:49

## Analysis Info

Analysis Name: Marx et al. 2018 – male

Analysis Description: C:\bmds3201\BMDS3201

Model Type: Continuous

Selected Models:

- Frequentist Dichotomous Hill (restricted)

Option Sets:

- Option Set #1
  - BMR Type: Std. Dev.
  - BMRF: 1
  - Confidence Level: 0.95
  - Distribution: Normal
  - Variance: Constant

## Data

Marx et al. - Liver weight - male			
Source: Marx et al. 2018, Table 12, page 21			
CBD Dose *	N	Mean	Std. Dev.
mg/kg bw/day	male	g	g
0	10	9.65	0.95
25	10	9.7	1.04
90	10	11.05	0.79
180	10	13.5	1.37

\* Note: Dose levels adjusted from hemp extract to CBD assuming 26% of hemp extract are phytocannabinoids, from which 96% are CBD.

Adverse Direction: Automatic

## Frequentist Exponential Restricted Option Set #1

User Input																																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #a6c9ec;"> <th style="width: 15%;">Info</th> <th></th> </tr> </thead> <tbody> <tr> <td>Model</td> <td>frequentist Exponential degree 2 v1.1</td> </tr> <tr> <td>Dataset Name</td> <td>Marx et al. - Liver weight - male</td> </tr> <tr> <td>User notes</td> <td>[Add user notes here]</td> </tr> <tr> <td>Dose-Response Model</td> <td><math>M[\text{dose}] = a * \exp(\pm 1 * b * \text{dose})</math></td> </tr> </tbody> </table>	Info		Model	frequentist Exponential degree 2 v1.1	Dataset Name	Marx et al. - Liver weight - male	User notes	[Add user notes here]	Dose-Response Model	$M[\text{dose}] = a * \exp(\pm 1 * b * \text{dose})$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #a6c9ec;"> <th style="width: 15%;">Model Options</th> <th></th> </tr> </thead> <tbody> <tr> <td>BMR Type</td> <td>Std. Dev.</td> </tr> <tr> <td>BMRF</td> <td>1</td> </tr> <tr> <td>Tail Probability</td> <td>-</td> </tr> <tr> <td>Confidence Level</td> <td>0.95</td> </tr> <tr> <td>Distribution Type</td> <td>Normal</td> </tr> </tbody> </table>	Model Options		BMR Type	Std. Dev.	BMRF	1	Tail Probability	-	Confidence Level	0.95	Distribution Type	Normal	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #a6c9ec;"> <th style="width: 15%;">Model Data</th> <th></th> </tr> </thead> <tbody> <tr> <td>Dependent Variable</td> <td>mg/kg bw/day</td> </tr> <tr> <td>Independent Variable</td> <td>g</td> </tr> <tr> <td>Total # of Observations</td> <td>4</td> </tr> <tr> <td>Adverse Direction</td> <td>Automatic</td> </tr> </tbody> </table>	Model Data		Dependent Variable	mg/kg bw/day	Independent Variable	g	Total # of Observations	4	Adverse Direction	Automatic
Info																																		
Model	frequentist Exponential degree 2 v1.1																																	
Dataset Name	Marx et al. - Liver weight - male																																	
User notes	[Add user notes here]																																	
Dose-Response Model	$M[\text{dose}] = a * \exp(\pm 1 * b * \text{dose})$																																	
Model Options																																		
BMR Type	Std. Dev.																																	
BMRF	1																																	
Tail Probability	-																																	
Confidence Level	0.95																																	
Distribution Type	Normal																																	
Model Data																																		
Dependent Variable	mg/kg bw/day																																	
Independent Variable	g																																	
Total # of Observations	4																																	
Adverse Direction	Automatic																																	


Model Results															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #a6c9ec;"> <th colspan="2">Benchmark Dose</th> </tr> </thead> <tbody> <tr> <td>BMD</td> <td>52.15398788</td> </tr> <tr> <td>BMDL</td> <td>42.58230214</td> </tr> <tr> <td>BMDU</td> <td>67.22145937</td> </tr> <tr> <td>AIC</td> <td>121.1737068</td> </tr> <tr> <td>Test 4 P-value</td> <td>0.52351281</td> </tr> <tr> <td>D.O.F.</td> <td>2</td> </tr> </tbody> </table>		Benchmark Dose		BMD	52.15398788	BMDL	42.58230214	BMDU	67.22145937	AIC	121.1737068	Test 4 P-value	0.52351281	D.O.F.	2
Benchmark Dose															
BMD	52.15398788														
BMDL	42.58230214														
BMDU	67.22145937														
AIC	121.1737068														
Test 4 P-value	0.52351281														
D.O.F.	2														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #a6c9ec;"> <th colspan="2">Model Parameters</th> </tr> </thead> <tbody> <tr> <td># of Parameters</td> <td>3</td> </tr> <tr style="background-color: #cccccc;"> <td>Variable</td> <td>Estimate</td> </tr> <tr> <td>a</td> <td>9.392985341</td> </tr> <tr> <td>b</td> <td>0.001978132</td> </tr> </tbody> </table>		Model Parameters		# of Parameters	3	Variable	Estimate	a	9.392985341	b	0.001978132				
Model Parameters															
# of Parameters	3														
Variable	Estimate														
a	9.392985341														
b	0.001978132														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #a6c9ec;"> <th>Goodness of Fit</th> </tr> </thead> <tbody> <tr> <td style="height: 40px;"></td> </tr> </tbody> </table>		Goodness of Fit													
Goodness of Fit															

Dose	Size	Estimated Median	Calc'd Median	Observed Mean	Estimated SD	Calc'd SD	Observed SD	Scaled Residual
0	10	9.392985341	9.65	9.65	1.02080265	0.95	0.95	0.79618888
25	10	9.869177117	9.7	9.7	1.02080265	1.04	1.04	-0.524082712
90	10	11.22333483	11.05	11.05	1.02080265	0.79	0.79	-0.536962602
180	10	13.41035252	13.5	13.5	1.02080265	1.37	1.37	0.27771307

Likelihoods of Interest			
Model	Log Likelihood*	# of Parameters	AIC
A1	-56.93965963	5	123.879319
A2	-55.32048927	8	126.640979
A3	-56.93965963	5	123.879319
fitted	-57.58685341	3	121.173707
R	-81.52370706	2	167.047414

Tests of Interest			
Test	-2*Log(Likelihood Ratio)	Test df	p-value
1	52.40643559	6	<0.0001
2	3.238340728	3	0.35631708
3	3.238340728	3	0.35631708
4	1.294387559	2	0.52351281

Frequentist Exponential Degree 2 Model with BMR of 1 Std.  
Dev. for the BMD and 0.95 Lower Confidence Limit for the  
BMDL



## Frequentist Exponential Restricted Option Set #1

User Input																																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Info</th> <th></th> </tr> </thead> <tbody> <tr> <td>Model</td> <td>frequentist Exponential degree 3 v1.1</td> </tr> <tr> <td>Dataset Name</td> <td>Marx et al. - Liver weight - male</td> </tr> <tr> <td>User notes</td> <td>[Add user notes here]</td> </tr> <tr> <td>Dose-Response Model</td> <td><math>M[\text{dose}] = a * \exp(\pm 1 * (b * \text{dose})^d)</math></td> </tr> </tbody> </table>	Info		Model	frequentist Exponential degree 3 v1.1	Dataset Name	Marx et al. - Liver weight - male	User notes	[Add user notes here]	Dose-Response Model	$M[\text{dose}] = a * \exp(\pm 1 * (b * \text{dose})^d)$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Model Options</th> <th></th> </tr> </thead> <tbody> <tr> <td>BMR Type</td> <td>Std. Dev.</td> </tr> <tr> <td>BMRF</td> <td>1</td> </tr> <tr> <td>Tail Probability</td> <td>-</td> </tr> <tr> <td>Confidence Level</td> <td>0.95</td> </tr> <tr> <td>Distribution Type</td> <td>Normal</td> </tr> </tbody> </table>	Model Options		BMR Type	Std. Dev.	BMRF	1	Tail Probability	-	Confidence Level	0.95	Distribution Type	Normal	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Model Data</th> <th></th> </tr> </thead> <tbody> <tr> <td>Dependent Variable</td> <td>mg/kg bw/day</td> </tr> <tr> <td>Independent Variable</td> <td>g</td> </tr> <tr> <td>Total # of Observations</td> <td>4</td> </tr> <tr> <td>Adverse Direction</td> <td>Automatic</td> </tr> </tbody> </table>	Model Data		Dependent Variable	mg/kg bw/day	Independent Variable	g	Total # of Observations	4	Adverse Direction	Automatic
Info																																		
Model	frequentist Exponential degree 3 v1.1																																	
Dataset Name	Marx et al. - Liver weight - male																																	
User notes	[Add user notes here]																																	
Dose-Response Model	$M[\text{dose}] = a * \exp(\pm 1 * (b * \text{dose})^d)$																																	
Model Options																																		
BMR Type	Std. Dev.																																	
BMRF	1																																	
Tail Probability	-																																	
Confidence Level	0.95																																	
Distribution Type	Normal																																	
Model Data																																		
Dependent Variable	mg/kg bw/day																																	
Independent Variable	g																																	
Total # of Observations	4																																	
Adverse Direction	Automatic																																	

Model Results															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th colspan="2">Benchmark Dose</th> </tr> </thead> <tbody> <tr> <td>BMD</td> <td>70.43952942</td> </tr> <tr> <td>BMDL</td> <td>44.37955234</td> </tr> <tr> <td>BMDU</td> <td>107.3067368</td> </tr> <tr> <td>AIC</td> <td>122.1164805</td> </tr> <tr> <td>Test 4 P-value</td> <td>0.62626399</td> </tr> <tr> <td>D.O.F.</td> <td>1</td> </tr> </tbody> </table>		Benchmark Dose		BMD	70.43952942	BMDL	44.37955234	BMDU	107.3067368	AIC	122.1164805	Test 4 P-value	0.62626399	D.O.F.	1
Benchmark Dose															
BMD	70.43952942														
BMDL	44.37955234														
BMDU	107.3067368														
AIC	122.1164805														
Test 4 P-value	0.62626399														
D.O.F.	1														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th colspan="2">Model Parameters</th> </tr> </thead> <tbody> <tr> <td># of Parameters</td> <td>4</td> </tr> <tr style="background-color: #cccccc;"> <th>Variable</th> <th>Estimate</th> </tr> <tr> <td>a</td> <td>9.573839514</td> </tr> <tr> <td>b</td> <td>0.002475164</td> </tr> <tr> <td>d</td> <td>1.317898041</td> </tr> </tbody> </table>		Model Parameters		# of Parameters	4	Variable	Estimate	a	9.573839514	b	0.002475164	d	1.317898041		
Model Parameters															
# of Parameters	4														
Variable	Estimate														
a	9.573839514														
b	0.002475164														
d	1.317898041														


Goodness of Fit								
Dose	Size	Estimated Median	Calc'd Median	Observed Mean	Estimated SD	Calc'd SD	Observed SD	Scaled Residual
0	10	9.573839514	9.65	9.65	1.0075458	0.95	0.95	0.239036878
25	10	9.82159541	9.7	9.7	1.0075458	1.04	1.04	-0.381638677
90	10	10.99280207	11.05	11.05	1.0075458	0.79	0.79	0.179521108
180	10	13.51211157	13.5	13.5	1.0075458	1.37	1.37	-0.038013304

Likelihoods of Interest			
Model	Log Likelihood*	# of Parameters	AIC
A1	-56.93965963	5	123.879319
A2	-55.32048927	8	126.640979
A3	-56.93965963	5	123.879319
fitted	-57.05824024	4	122.11648
R	-81.52370706	2	167.047414

Tests of Interest			
Test	-2*Log(Likelihood Ratio)	Test df	p-value
1	52.40643559	6	<0.0001
2	3.238340728	3	0.35631708
3	3.238340728	3	0.35631708
4	0.237161222	1	0.62626399



Frequentist Exponential Degree 3 Model with BMR of 1 Std.  
Dev. for the BMD and 0.95 Lower Confidence Limit for the  
BMDL



## Frequentist Exponential Restricted Option Set #1

User Input																																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Info</th> <th></th> </tr> </thead> <tbody> <tr> <td>Model</td> <td>frequentist Exponential degree 4 v1.1</td> </tr> <tr> <td>Dataset Name</td> <td>Marx et al. - Liver weight - male</td> </tr> <tr> <td>User notes</td> <td>[Add user notes here]</td> </tr> <tr> <td>Dose-Response Model</td> <td><math>M[\text{dose}] = a * [c - (c - 1) * \exp(-b * \text{dose})]</math></td> </tr> </tbody> </table>	Info		Model	frequentist Exponential degree 4 v1.1	Dataset Name	Marx et al. - Liver weight - male	User notes	[Add user notes here]	Dose-Response Model	$M[\text{dose}] = a * [c - (c - 1) * \exp(-b * \text{dose})]$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Model Options</th> <th></th> </tr> </thead> <tbody> <tr> <td>BMR Type</td> <td>Std. Dev.</td> </tr> <tr> <td>BMRF</td> <td>1</td> </tr> <tr> <td>Tail Probability</td> <td>-</td> </tr> <tr> <td>Confidence Level</td> <td>0.95</td> </tr> <tr> <td>Distribution Type</td> <td>Normal</td> </tr> </tbody> </table>	Model Options		BMR Type	Std. Dev.	BMRF	1	Tail Probability	-	Confidence Level	0.95	Distribution Type	Normal	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Model Data</th> <th></th> </tr> </thead> <tbody> <tr> <td>Dependent Variable</td> <td>mg/kg bw/day</td> </tr> <tr> <td>Independent Variable</td> <td>g</td> </tr> <tr> <td>Total # of Observations</td> <td>4</td> </tr> <tr> <td>Adverse Direction</td> <td>Automatic</td> </tr> </tbody> </table>	Model Data		Dependent Variable	mg/kg bw/day	Independent Variable	g	Total # of Observations	4	Adverse Direction	Automatic
Info																																		
Model	frequentist Exponential degree 4 v1.1																																	
Dataset Name	Marx et al. - Liver weight - male																																	
User notes	[Add user notes here]																																	
Dose-Response Model	$M[\text{dose}] = a * [c - (c - 1) * \exp(-b * \text{dose})]$																																	
Model Options																																		
BMR Type	Std. Dev.																																	
BMRF	1																																	
Tail Probability	-																																	
Confidence Level	0.95																																	
Distribution Type	Normal																																	
Model Data																																		
Dependent Variable	mg/kg bw/day																																	
Independent Variable	g																																	
Total # of Observations	4																																	
Adverse Direction	Automatic																																	


Model Results															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th colspan="2">Benchmark Dose</th> </tr> </thead> <tbody> <tr> <td>BMD</td> <td>46.66477203</td> </tr> <tr> <td>BMDL</td> <td>0</td> </tr> <tr> <td>BMDU</td> <td>Infinity</td> </tr> <tr> <td>AIC</td> <td>122.2262667</td> </tr> <tr> <td>Test 4 P-value</td> <td>0.309290687</td> </tr> <tr> <td>D.O.F.</td> <td>2</td> </tr> </tbody> </table>		Benchmark Dose		BMD	46.66477203	BMDL	0	BMDU	Infinity	AIC	122.2262667	Test 4 P-value	0.309290687	D.O.F.	2
Benchmark Dose															
BMD	46.66477203														
BMDL	0														
BMDU	Infinity														
AIC	122.2262667														
Test 4 P-value	0.309290687														
D.O.F.	2														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th colspan="2">Model Parameters</th> </tr> </thead> <tbody> <tr> <td># of Parameters</td> <td>4</td> </tr> <tr style="background-color: #cccccc;"> <td>Variable</td> <td>Estimate</td> </tr> <tr> <td>a</td> <td>9.34006967</td> </tr> <tr> <td>b</td> <td>Bounded</td> </tr> <tr> <td>c</td> <td>71828.30797</td> </tr> </tbody> </table>		Model Parameters		# of Parameters	4	Variable	Estimate	a	9.34006967	b	Bounded	c	71828.30797		
Model Parameters															
# of Parameters	4														
Variable	Estimate														
a	9.34006967														
b	Bounded														
c	71828.30797														

Goodness of Fit								
Dose	Size	Estimated Median	Calc'd Median	Observed Mean	Estimated SD	Calc'd SD	Observed SD	Scaled Residual
0	10	9.34006967	9.65	9.65	1.03448997	0.95	0.95	0.947409628
25	10	9.894283135	9.7	9.7	1.03448997	1.04	1.04	-0.593893836
90	10	11.335236	11.05	11.05	1.03448997	0.79	0.79	-0.871922844
180	10	13.3303964	13.5	13.5	1.03448997	1.37	1.37	0.518452264

Likelihoods of Interest			
Model	Log Likelihood*	# of Parameters	AIC
A1	-56.93965963	5	123.879319
A2	-55.32048927	8	126.640979
A3	-56.93965963	5	123.879319
fitted	-58.11313334	3	122.226267
R	-81.52370706	2	167.047414

Tests of Interest			
Test	-2*Log(Likelihood Ratio)	Test df	p-value
1	52.40643559	6	<0.0001
2	3.238340728	3	0.35631708
3	3.238340728	3	0.35631708
4	2.346947419	2	0.30929069

Frequentist Exponential Degree 4 Model with BMR of 1 Std.  
Dev. for the BMD and 0.95 Lower Confidence Limit for the  
BMDL



## Frequentist Exponential Restricted Option Set #1

User Input																																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Info</th> <th></th> </tr> </thead> <tbody> <tr> <td>Model</td> <td>frequentist Exponential degree 5 v1.1</td> </tr> <tr> <td>Dataset Name</td> <td>Marx et al. - Liver weight - male</td> </tr> <tr> <td>User notes</td> <td>[Add user notes here]</td> </tr> <tr> <td>Dose-Response Model</td> <td><math>M[\text{dose}] = a * [c - (c - 1) * \exp(-(b * \text{dose})^d)]</math></td> </tr> </tbody> </table>	Info		Model	frequentist Exponential degree 5 v1.1	Dataset Name	Marx et al. - Liver weight - male	User notes	[Add user notes here]	Dose-Response Model	$M[\text{dose}] = a * [c - (c - 1) * \exp(-(b * \text{dose})^d)]$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Model Options</th> <th></th> </tr> </thead> <tbody> <tr> <td>BMR Type</td> <td>Std. Dev.</td> </tr> <tr> <td>BMRF</td> <td>1</td> </tr> <tr> <td>Tail Probability</td> <td>-</td> </tr> <tr> <td>Confidence Level</td> <td>0.95</td> </tr> <tr> <td>Distribution Type</td> <td>Normal</td> </tr> </tbody> </table>	Model Options		BMR Type	Std. Dev.	BMRF	1	Tail Probability	-	Confidence Level	0.95	Distribution Type	Normal	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th style="width: 15%;">Model Data</th> <th></th> </tr> </thead> <tbody> <tr> <td>Dependent Variable</td> <td>mg/kg bw/day</td> </tr> <tr> <td>Independent Variable</td> <td>g</td> </tr> <tr> <td>Total # of Observations</td> <td>4</td> </tr> <tr> <td>Adverse Direction</td> <td>Automatic</td> </tr> </tbody> </table>	Model Data		Dependent Variable	mg/kg bw/day	Independent Variable	g	Total # of Observations	4	Adverse Direction	Automatic
Info																																		
Model	frequentist Exponential degree 5 v1.1																																	
Dataset Name	Marx et al. - Liver weight - male																																	
User notes	[Add user notes here]																																	
Dose-Response Model	$M[\text{dose}] = a * [c - (c - 1) * \exp(-(b * \text{dose})^d)]$																																	
Model Options																																		
BMR Type	Std. Dev.																																	
BMRF	1																																	
Tail Probability	-																																	
Confidence Level	0.95																																	
Distribution Type	Normal																																	
Model Data																																		
Dependent Variable	mg/kg bw/day																																	
Independent Variable	g																																	
Total # of Observations	4																																	
Adverse Direction	Automatic																																	


Model Results															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th colspan="2">Benchmark Dose</th> </tr> </thead> <tbody> <tr> <td>BMD</td> <td>71.04214668</td> </tr> <tr> <td>BMDL</td> <td>46.1005208</td> </tr> <tr> <td>BMDU</td> <td>106.3789001</td> </tr> <tr> <td>AIC</td> <td>124.0444783</td> </tr> <tr> <td>Test 4 P-value</td> <td>NA</td> </tr> <tr> <td>D.O.F.</td> <td>0</td> </tr> </tbody> </table>		Benchmark Dose		BMD	71.04214668	BMDL	46.1005208	BMDU	106.3789001	AIC	124.0444783	Test 4 P-value	NA	D.O.F.	0
Benchmark Dose															
BMD	71.04214668														
BMDL	46.1005208														
BMDU	106.3789001														
AIC	124.0444783														
Test 4 P-value	NA														
D.O.F.	0														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #add8e6;"> <th colspan="2">Model Parameters</th> </tr> </thead> <tbody> <tr> <td># of Parameters</td> <td>5</td> </tr> <tr style="background-color: #cccccc;"> <td>Variable</td> <td>Estimate</td> </tr> <tr> <td>a</td> <td>9.583475723</td> </tr> <tr> <td>b</td> <td>6.86878E-05</td> </tr> <tr> <td>c</td> <td>256.6885755</td> </tr> <tr> <td>d</td> <td>1.464932648</td> </tr> </tbody> </table>		Model Parameters		# of Parameters	5	Variable	Estimate	a	9.583475723	b	6.86878E-05	c	256.6885755	d	1.464932648
Model Parameters															
# of Parameters	5														
Variable	Estimate														
a	9.583475723														
b	6.86878E-05														
c	256.6885755														
d	1.464932648														

Goodness of Fit								
Dose	Size	Estimated Median	Calc'd Median	Observed Mean	Estimated SD	Calc'd SD	Observed SD	Scaled Residual
0	10	9.583475723	9.65	9.65	1.00646987	0.95	0.95	0.209015928
25	10	9.801453598	9.7	9.7	1.00646987	1.04	1.04	-0.318762097
90	10	11.0066277	11.05	11.05	1.00646987	0.79	0.79	0.136273594
180	10	13.51008687	13.5	13.5	1.00646987	1.37	1.37	-0.031692445

Likelihoods of Interest			
Model	Log Likelihood*	# of Parameters	AIC
A1	-56.93965963	5	123.879319
A2	-55.32048927	8	126.640979
A3	-56.93965963	5	123.879319
fitted	-57.02223917	5	124.044478
R	-81.52370706	2	167.047414

Tests of Interest			
Test	-2*Log(Likelihood Ratio)	Test df	p-value
1	52.40643559	6	<0.0001
2	3.238340728	3	0.35631708
3	3.238340728	3	0.35631708
4	0.165159071	0	NA

Frequentist Exponential Degree 5 Model with BMR of 1 Std.  
Dev. for the BMD and 0.95 Lower Confidence Limit for the  
BMDL



## Summary of Results

Option set #1 (Hover for details)											
Model	Analysis Type	Restriction	RiskType	BMD	BMDL	BMDU	Test 4 P-Value	AIC	Unnormalized Log Posterior Probability	BMDS Recommendation	BMDS Recommendation Notes
<a href="#">Exponential 2 (CV - normal)*</a>	frequentist	Restricted	Std. Dev.	52.15399	42.5823	67.221459	0.5235128	121.1737068	-	Viable - Recommended	Lowest AIC
<a href="#">Exponential 3 (CV - normal)</a>	frequentist	Restricted	Std. Dev.	70.43953	44.37955	107.30674	0.626264	122.1164805	-	Viable - Alternate	
<a href="#">Exponential 4 (CV - normal)</a>	frequentist	Restricted	Std. Dev.	46.66477	0	Infinity	0.3092907	122.2262667	-	Unusable	BMD computation failed BMDL not estimated
<a href="#">Exponential 5 (CV - normal)</a>	frequentist	Restricted	Std. Dev.	71.04215	46.10052	106.3789	NA	124.0444783	-	Questionable	d.f.=0, saturated model (Goodness of fit test cannot be calculated)

\*Constant variance case presented (BMDS Test 2 p-value = 0.35631707542798), with the selected model in bold; scaled residuals for selected model for doses 0, 25, 90, 180 were 0.796188879956889, -0.524082712364853, -0.536962602419896, 0.277713070349884 [units], respectively.



Model Summary with BMR of 1 Std. Dev. for the BMD and 0.95 Lower  
Confidence Limit for the BMDL

