

Table S1. Individual pesticides included in chemical classes.

Chemical Code <sup>a</sup>	Common Name	Use Type
Dithiocarbamates/N-Methyl Carbamates (n=24)		
369	Maneb	Fungicide
616	Metam-Sodium	Fumigant, Herbicide, Fungicide, Microbiocide, Algaecide
589	Thiram	Fungicide
970	Potassium N-Methyldithiocarbamate	Fumigant, Fungicide, Microbiocide, Algaecide, Nematicide
288	Ferbam	Fungicide
417	Nabam	Fungicide, Herbicide
548	Sodium Dimethyl Dithio Carbamate	Fungicide
211	Mancozeb	Fungicide
629	Ziram	Fungicide, Microbiocide, Dog and Cat Repellent
627	Zineb	Fungicide
493	Metiram	Fungicide
383	Methomyl	Insecticide
105	Carbaryl	Insecticide, Plant Growth Regulator, Nematicide
375	Methiocarb	Insecticide, Molluscicide
1910	Oxamyl	Insecticide, Nematicide
575	Aldicarb	Insecticide, Nematicide
111	Formetanate Hydrochloride	Insecticide
106	Carbofuran	Insecticide, Nematicide
2202	Thiodicarb	Molluscicide, Insecticide
1924	Bendiocarb	Insecticide
62	Propoxur	Insecticide
623	Mexacarbate	Insecticide
1875	Pirimicarb	Insecticide
2201	Butoxycarboxim	Insecticide
Organophosphates (n=50)		
253	Chlorpyrifos	Insecticide, Nematicide
1685	Acephate	Insecticide
367	Malathion	Insecticide
198	Diazinon	Insecticide

216	Dimethoate	Insecticide
1626	Ethephon	Plant Growth Regulator
418	Naled	Insecticide
335	Phosmet	Insecticide
70	Bensulide	Herbicide
382	Oxydemeton-Methyl	Insecticide
1689	Methidathion	Insecticide
314	Azinphos-Methyl	Insecticide
394	Methyl Parathion	Insecticide, Nematicide
230	Disulfoton	Insecticide, Nematicide
90394	Methyl Parathion, Other Related	Insecticide, Nematicide
92739	Nonanoic Acid, Other Related	Insecticide, Nematicide
1857	Fenamiphos	Insecticide, Nematicide
1697	Methamidophos	Insecticide, Breakdown product
478	Phorate	Insecticide, Nematicide
558	Sulfotep	Insecticide
404	Ethoprop	Insecticide, Nematicide
254	Fonofos	Insecticide
190	S,S,S-Tributyl Phosphorotrithioate	Defoliant, Plant Growth Regulator
459	Parathion	Insecticide
90480	Mevinphos, Other Related	Insecticide
480	Mevinphos	Insecticide
2042	Profenofos	Insecticide
165	Coumaphos	Insecticide
90459	Parathion, Other Related	Insecticide, Nematicide
187	Ddvp	Insecticide, Breakdown product, Impurity
90187	Ddvp, Other Related	Insecticide
90482	Phosphamidon, Other Related	Insecticide
482	Phosphamidon	Insecticide
88	Trichlorfon	Insecticide
566	Demeton	Insecticide, Nematicide
268	Ethion	Insecticide
110	Carbophenothion	Insecticide
305	Tetrachlorvinphos	Insecticide

192	Dioxathion	Insecticide
90192	Dioxathion, Other Related	Insecticide
479	Phosalone	Insecticide
1523	Phosacetin	Rodenticide
263	Epn	Insecticide
72	Dicrotophos	Insecticide
90293	Merphos, Other Related	Defoliant, Plant Growth Regulator
293	Merphos	Defoliant, Plant Growth Regulator
2006	Sulprofos	Insecticide
577	Tepp	Insecticide
90577	Tepp, Other Related	Insecticide
517	Ronnel	Insecticide

#### Pyrethroids

(n=29)

2300	Bifenthrin	Insecticide
2008	Permethrin	Insecticide
2321	Esfenvalerate	Insecticide
2195	Tau-Fluvalinate	Insecticide
2223	Cyfluthrin	Insecticide
2297	Lambda-Cyhalothrin	Insecticide
2234	Fenpropathrin	Insecticide
3866	(S)-Cypermethrin	Insecticide
3010	Deltamethrin	Insecticide
2171	Cypermethrin	Insecticide
3956	Beta-Cyfluthrin	Insecticide
5877	Gamma-Cyhalothrin	Insecticide
2119	Resmethrin	Insecticide
2329	Tralomethrin	Insecticide
92119	Resmethrin, Other Related	Insecticide
5327	Imiprothrin	Insecticide
4038	D-Trans Allethrin	Insecticide
2093	Phenothrin	Insecticide
12	Allethrin	Insecticide
1963	Fenvalerate	Insecticide
1695	Tetramethrin	Insecticide

92093	Phenothrin, Other Related	Insecticide
90012	Allethrin, Other Related	Insecticide
92008	Permethrin, Other Related	Insecticide
2293	D-Allethrin	Insecticide
3985	Prallethrin	Insecticide
92293	D-Allethrin, Other Related	Insecticide
91695	Tetramethrin, Other Related	Insecticide
4039	S-Bioallethrin	Insecticide

---

<sup>a</sup>Assigned by California Department of Pesticide Regulation.

Table S2. Odds ratios (95% confidence intervals) for trimester exposures to individual pesticides (ever vs never exposed) and preterm birth, stratified by infant sex.

Pesticide	First trimester				Second trimester			
	Preterm Birth*	Term Birth*	OR <sup>1</sup>	OR <sup>2</sup>	Preterm Birth*	Term Birth*	OR <sup>1</sup>	OR <sup>2</sup>
<b>Males</b>								
<b>Fungicide</b>								
Myclobutanil	3968 (21.3%)	35111 (21.8%)	0.97 (0.94, 1.01)	0.97 (0.93, 1.01)	4072 (21.9%)	35700 (22.1%)	0.99 (0.95, 1.02)	0.99 (0.95, 1.02)
Chlorothalonil	4147 (22.3%)	35912 (22.3%)	1.00 (0.97, 1.04)	0.99 (0.95, 1.03)	4231 (22.7%)	35845 (22.2%)	1.03 (0.99, 1.07)	1.02 (0.99, 1.06)
Mancozeb	2702 (14.5%)	24012 (14.9%)	0.97 (0.93, 1.01)	0.96 (0.92, 1.00)	2735 (14.7%)	24217 (15.0%)	0.98 (0.93, 1.02)	0.97 (0.93, 1.01)
<b>Herbicide</b>								
Glyphosate compounds	11006 (59.2%)	93459 (57.9%)	1.05 (1.02, 1.09)	1.04 (1.01, 1.07)	11018 (59.2%)	93553 (58.0%)	1.05 (1.02, 1.09)	1.04 (1.01, 1.07)
Paraquat dichloride	2964 (15.9%)	23751 (14.7%)	1.10 (1.05, 1.14)	1.06 (1.01, 1.10)	2954 (15.9%)	23577 (14.6%)	1.10 (1.06, 1.15)	1.07 (1.02, 1.11)
Simazine	2093 (11.2%)	17086 (10.6%)	1.07 (1.02, 1.12)	1.06 (1.01, 1.12)	2075 (11.2%)	16938 (10.5%)	1.07 (1.02, 1.12)	1.07 (1.02, 1.13)
<b>Insecticide</b>								
Chlorpyrifos	6496 (34.9%)	54491 (33.8%)	1.05 (1.02, 1.08)	1.02 (0.98, 1.05)	6432 (34.6%)	54201 (33.6%)	1.04 (1.01, 1.08)	1.01 (0.98, 1.05)
Abamectin	5812 (31.2%)	50314 (31.2%)	1.00 (0.97, 1.04)	0.99 (0.95, 1.02)	5911 (31.8%)	50950 (31.6%)	1.01 (0.98, 1.04)	0.99 (0.96, 1.03)
Malathion	4431 (23.8%)	37826 (23.4%)	1.02 (0.99, 1.06)	1.00 (0.96, 1.04)	4410 (23.7%)	37965 (23.5%)	1.01 (0.97, 1.05)	0.99 (0.96, 1.03)
Imidacloprid	4608 (24.8%)	38937 (24.1%)	1.04 (1.00, 1.07)	1.03 (0.99, 1.06)	4632 (24.9%)	39660 (24.6%)	1.02 (0.98, 1.06)	1.01 (0.97, 1.05)
Diazinon	3949 (21.2%)	34395 (21.3%)	0.99 (0.96, 1.03)	0.97 (0.93, 1.00)	3910 (21.0%)	33315 (20.6%)	1.02 (0.98, 1.06)	0.99 (0.96, 1.03)
Permethrin	3479 (18.7%)	29333 (18.2%)	1.03 (0.99, 1.07)	1.02 (0.98, 1.06)	3415 (18.4%)	29546 (18.3%)	1.00 (0.96, 1.04)	0.98 (0.94, 1.02)
Dimethoate	2432 (13.1%)	20514 (12.7%)	1.03 (0.99, 1.08)	1.01 (0.96, 1.06)	2430 (13.1%)	20431 (12.7%)	1.03 (0.99, 1.08)	1.01 (0.96, 1.05)
Methyl bromide	1876	15659	1.04	1.04	1786	15162	1.02	1.00

	(10.1%)	(9.7%)	(0.99, 1.10)	(0.98, 1.09)	(9.6%)	(9.4%)	(0.97, 1.08)	(0.95, 1.06)
Carbaryl	1753	14966	1.02	1.01	1651	14846	0.96	0.95
	(9.4%)	(9.3%)	(0.97, 1.07)	(0.95, 1.06)	(8.9%)	(9.2%)	(0.91, 1.01)	(0.90, 1.00)
Phosmet	863	7197	1.04	1.01	840	7200	1.01	0.98
	(4.6%)	(4.5%)	(0.97, 1.12)	(0.94, 1.09)	(4.5%)	(4.5%)	(0.94, 1.09)	(0.91, 1.06)
Methyl parathion	331	2688	1.06	1.02	301	2717	0.95	0.91
	(1.8%)	(1.7%)	(0.95, 1.19)	(0.90, 1.15)	(1.6%)	(1.7%)	(0.84, 1.07)	(0.80, 1.03)

Females

**Fungicide**

Myclobutanil	1388	12718	1.07	1.08	1381	12811	1.05	1.06
	(22.7%)	(21.5%)	(1.00, 1.14)	(1.01, 1.15)	(22.6%)	(21.6%)	(0.99, 1.12)	(1.00, 1.14)
Chlorothalonil	1431	13193	1.06	1.06	1440	13157	1.07	1.06
	(23.4%)	(22.3%)	(1.00, 1.13)	(0.99, 1.13)	(23.5%)	(22.2%)	(1.01, 1.14)	(1.00, 1.14)
Mancozeb	938	8763	1.03	1.01	918	8827	1.00	0.98
	(15.3%)	(14.8%)	(0.96, 1.11)	(0.93, 1.09)	(15.0%)	(14.9%)	(0.93, 1.08)	(0.91, 1.06)

**Herbicide**

Glyphosate compounds	3646	34175	1.08	1.07	3613	34122	1.06	1.05
	(59.6%)	(57.7%)	(1.03, 1.14)	(1.01, 1.13)	(59.0%)	(57.6%)	(1.01, 1.12)	(0.99, 1.10)
Paraquat dichloride	975	8477	1.13	1.09	963	8509	1.11	1.05
	(15.9%)	(14.3%)	(1.05, 1.22)	(1.01, 1.17)	(15.7%)	(14.4%)	(1.03, 1.20)	(0.98, 1.14)
Simazine	630	6228	0.97	0.96	676	6103	1.07	1.05
	(10.3%)	(10.5%)	(0.89, 1.06)	(0.88, 1.05)	(11.0%)	(10.3%)	(0.98, 1.16)	(0.96, 1.15)

**Insecticide**

Chlorpyrifos	2175	19902	1.08	1.05	2134	19807	1.06	1.02
	(35.5%)	(33.6%)	(1.02, 1.14)	(0.99, 1.11)	(34.9%)	(33.4%)	(1.00, 1.12)	(0.96, 1.08)
Abamectin	2002	18436	1.07	1.06	1975	18624	1.04	1.02
	(32.7%)	(31.1%)	(1.02, 1.14)	(1.00, 1.12)	(32.3%)	(31.4%)	(0.98, 1.10)	(0.96, 1.08)
Malathion	1424	13746	1.00	0.99	1442	13638	1.03	1.01
	(23.3%)	(23.2%)	(0.94, 1.06)	(0.93, 1.05)	(23.6%)	(23.0%)	(0.97, 1.09)	(0.95, 1.08)
Imidacloprid	1581	14184	1.11	1.11	1590	14641	1.07	1.07
	(25.8%)	(23.9%)	(1.05, 1.18)	(1.04, 1.18)	(26.0%)	(24.7%)	(1.01, 1.14)	(1.01, 1.14)
Diazinon	1402	12313	1.12	1.10	1344	12132	1.08	1.05
	(22.9%)	(20.8%)	(1.05, 1.19)	(1.03, 1.17)	(21.9%)	(20.5%)	(1.01, 1.15)	(0.98, 1.12)
Permethrin	1186	10846	1.07	1.05	1139	10892	1.01	0.99
	(19.4%)	(18.3%)	(1.00, 1.14)	(0.98, 1.13)	(18.6%)	(18.4%)	(0.95, 1.08)	(0.93, 1.07)

Dimethoate	834 (13.6%)	7433 (12.5%)	1.09 (1.01, 1.18)	1.08 (1.00, 1.17)	832 (13.6%)	7447 (12.6%)	1.08 (1.00, 1.17)	1.06 (0.98, 1.15)
Methyl bromide	623 (10.2%)	5727 (9.7%)	1.05 (0.96, 1.14)	1.06 (0.97, 1.16)	596 (9.7%)	5617 (9.5%)	1.02 (0.93, 1.11)	1.02 (0.93, 1.12)
Carbaryl	557 (9.1%)	5383 (9.1%)	0.99 (0.90, 1.08)	1.00 (0.91, 1.10)	545 (8.9%)	5360 (9.0%)	0.97 (0.89, 1.07)	0.98 (0.90, 1.08)
Phosmet	302 (4.9%)	2720 (4.6%)	1.07 (0.95, 1.21)	1.01 (0.89, 1.15)	281 (4.6%)	2653 (4.5%)	1.01 (0.89, 1.15)	0.96 (0.84, 1.09)
Methyl parathion	119 (1.9%)	976 (1.6%)	1.17 (0.96, 1.41)	1.09 (0.90, 1.33)	105 (1.7%)	995 (1.7%)	1.01 (0.82, 1.23)	0.91 (0.73, 1.12)

<sup>1</sup> Adjusted for year of birth

<sup>2</sup> Adjusted for year of birth, maternal age, maternal education, maternal race/ethnicity, parity, prenatal care in first trimester, payment type of prenatal care, maternal birthplace, and neighborhood SES

\* Numbers of exposed cases/controls and the percentages in the parenthesis; numbers used in each model may vary depending on missing values

Table S3. Odds ratios (95% confidence intervals) for trimester exposures to chemical classes and preterm birth, stratified by maternal race/ethnicity.

Chemical Class	First trimester				Second trimester			
	Preterm Birth*	Term Birth*	OR <sup>1</sup>	OR <sup>2</sup>	Preterm Birth*	Term Birth*	OR <sup>1</sup>	OR <sup>2</sup>
<b>Whites</b>								
No. of carbamates ever exposed to								
0 (ref.)	3871 (66.0%)	43919 (66.9%)			3854 (65.7%)	43848 (66.8%)		
1	1042 (17.8%)	11555 (17.6%)	1.02 (0.95, 1.10)	1.01 (0.94, 1.09)	1081 (18.4%)	11720 (17.9%)	1.05 (0.98, 1.12)	1.02 (0.95, 1.10)
2+	952 (16.2%)	10173 (15.5%)	1.06 (0.98, 1.14)	1.00 (0.93, 1.08)	929 (15.8%)	10078 (15.4%)	1.04 (0.97, 1.13)	1.00 (0.92, 1.08)
No. of organophosphates ever exposed to								
0 (ref.)	2591 (44.2%)	29817 (45.4%)			2628 (44.8%)	29916 (45.6%)		
1	1173 (20.0%)	12932 (19.7%)	1.04 (0.97, 1.12)	1.04 (0.96, 1.12)	1188 (20.3%)	13221 (20.1%)	1.02 (0.95, 1.10)	1.01 (0.94, 1.09)
2+	2100 (35.8%)	22897 (34.9%)	1.05 (0.99, 1.11)	1.04 (0.98, 1.10)	2049 (34.9%)	22510 (34.3%)	1.03 (0.97, 1.09)	1.00 (0.94, 1.07)
No. of pyrethroids ever exposed to								
0 (ref.)	3164 (54.0%)	36432 (55.5%)			3214 (54.8%)	36350 (55.4%)		
1	1140 (19.4%)	12607 (19.2%)	1.04 (0.97, 1.12)	1.03 (0.96, 1.11)	1131 (19.3%)	12502 (19.0%)	1.02 (0.95, 1.10)	1.02 (0.95, 1.09)
2+	1560 (26.6%)	16608 (25.3%)	1.08 (1.01, 1.15)	1.07 (1.00, 1.14)	1519 (25.9%)	16795 (25.6%)	1.02 (0.96, 1.09)	1.00 (0.94, 1.07)
<b>US-born Hispanics</b>								
No. of carbamates ever exposed to								
0 (ref.)	3354 (61.7%)	28286 (63.6%)			3345 (61.5%)	28205 (63.4%)		
1	1024 (18.8%)	8154 (18.3%)	1.05 (0.98, 1.13)	1.03 (0.95, 1.11)	1053 (19.4%)	8143 (18.3%)	1.09 (1.01, 1.17)	1.07 (0.99, 1.15)

2+	1057 (19.5%)	8016 (18.0%)	1.11 (1.03, 1.19)	1.07 (0.99, 1.15)	1038 (19.1%)	8109 (18.2%)	1.07 (1.00, 1.16)	1.04 (0.96, 1.12)
No. of organophosphates ever exposed to								
0 (ref.)	2010 (37.0%)	16590 (37.3%)			2006 (36.9%)	16693 (37.5%)		
1	1233 (22.7%)	9856 (22.2%)	1.03 (0.96, 1.11)	1.03 (0.95, 1.11)	1264 (23.3%)	9760 (22.0%)	1.07 (1.00, 1.16)	1.08 (1.00, 1.16)
2+	2193 (40.3%)	18011 (40.5%)	1.00 (0.93, 1.06)	0.97 (0.91, 1.04)	2166 (39.8%)	18004 (40.5%)	0.99 (0.93, 1.06)	0.97 (0.91, 1.04)
No. of pyrethroids ever exposed to								
0 (ref.)	2543 (46.8%)	21748 (48.9%)			2543 (46.8%)	21581 (48.5%)		
1	1192 (21.9%)	9362 (21.1%)	1.09 (1.01, 1.17)	1.08 (1.00, 1.16)	1194 (22.0%)	9349 (21.0%)	1.08 (1.01, 1.16)	1.10 (1.02, 1.18)
2+	1701 (31.3%)	13347 (30.0%)	1.09 (1.02, 1.16)	1.07 (1.00, 1.14)	1699 (31.2%)	13526 (30.4%)	1.07 (1.00, 1.14)	1.05 (0.98, 1.12)

---

**Non-US-born Hispanics**

---

No. of carbamates ever exposed to								
0 (ref.)	4818 (60.5%)	44109 (61.4%)			4787 (60.1%)	44163 (61.4%)		
1	1501 (18.8%)	13571 (18.9%)	1.01 (0.95, 1.07)	1.02 (0.96, 1.09)	1500 (18.8%)	13421 (18.7%)	1.03 (0.96, 1.09)	1.04 (0.97, 1.10)
2+	1649 (20.7%)	14192 (19.7%)	1.06 (1.00, 1.12)	1.05 (0.98, 1.11)	1681 (21.1%)	14287 (19.9%)	1.08 (1.02, 1.15)	1.06 (1.00, 1.13)
No. of organophosphates ever exposed to								
0 (ref.)	2705 (33.9%)	25441 (35.4%)			2674 (33.6%)	25491 (35.5%)		
1	1682 (21.1%)	15476 (21.5%)	1.02 (0.96, 1.09)	1.00 (0.94, 1.07)	1748 (21.9%)	15523 (21.6%)	1.07 (1.01, 1.14)	1.07 (1.00, 1.14)
2+	3582 (45.0%)	30953 (43.1%)	1.08 (1.03, 1.14)	1.05 (0.99, 1.11)	3546 (44.5%)	30858 (42.9%)	1.09 (1.03, 1.15)	1.05 (1.00, 1.11)
No. of pyrethroids ever exposed to								

0 (ref.)	3579 (44.9%)	33219 (46.2%)			3537 (44.4%)	33010 (45.9%)		
1	1667 (20.9%)	15094 (21.0%)	1.02 (0.96, 1.09)	1.01 (0.94, 1.07)	1650 (20.7%)	14976 (20.8%)	1.02 (0.96, 1.09)	1.01 (0.95, 1.07)
2+	2723 (34.2%)	23558 (32.8%)	1.07 (1.02, 1.13)	1.06 (1.00, 1.12)	2781 (34.9%)	23885 (33.2%)	1.09 (1.03, 1.14)	1.07 (1.02, 1.13)

<sup>1</sup> Adjusted for year of birth, infant sex

<sup>2</sup> Adjusted for year of birth, infant sex, maternal age, maternal education, parity, prenatal care in first trimester, payment type of prenatal care, and neighborhood SES

\* Numbers of exposed cases/controls and the percentages in the parenthesis; numbers used in each model may vary depending on missing values

Table S4. Odds ratios (95% confidence intervals) for trimester exposures to individual pesticides (ever vs never) and term low birthweight.

Pesticide	First trimester				Second trimester				Third trimester			
	Term Low Birthweight*	Normal Birthweight*	OR <sup>1</sup>	OR <sup>2</sup>	Term Low Birthweight*	Normal Birthweight*	OR <sup>1</sup>	OR <sup>2</sup>	Term Low Birthweight*	Normal Birthweight*	OR <sup>1</sup>	OR <sup>2</sup>
<b>Fungicides</b>												
Myclobutanil	1019 (21.7%)	42545 (21.6%)	1.01 (0.94, 1.08)	1.03 (0.96, 1.11)	1093 (23.2%)	43089 (21.8%)	1.08 (1.01, 1.16)	1.11 (1.03, 1.19)	1106 (23.5%)	43578 (22.1%)	1.09 (1.01, 1.16)	1.11 (1.04, 1.20)
Chlorothalonil	1054 (22.4%)	43972 (22.3%)	1.01 (0.94, 1.08)	1.00 (0.93, 1.08)	1089 (23.2%)	43838 (22.2%)	1.06 (0.99, 1.13)	1.06 (0.98, 1.13)	1058 (22.5%)	43593 (22.1%)	1.03 (0.96, 1.10)	1.02 (0.95, 1.09)
Mancozeb	698 (14.8%)	29225 (14.8%)	1.01 (0.93, 1.09)	0.99 (0.91, 1.08)	661 (14.1%)	29420 (14.9%)	0.93 (0.86, 1.02)	0.93 (0.85, 1.01)	675 (14.4%)	29243 (14.8%)	0.97 (0.89, 1.05)	0.95 (0.88, 1.04)
<b>Herbicides</b>												
Glyphosate compounds	2685 (57.1%)	114047 (57.8%)	0.97 (0.91, 1.03)	0.98 (0.92, 1.04)	2701 (57.4%)	114105 (57.8%)	0.98 (0.93, 1.04)	1.00 (0.94, 1.06)	2683 (57.0%)	114236 (57.9%)	0.97 (0.91, 1.02)	0.98 (0.93, 1.05)
Paraquat dichloride	665 (14.1%)	28421 (14.4%)	0.98 (0.90, 1.06)	1.00 (0.92, 1.09)	680 (14.5%)	28358 (14.4%)	1.01 (0.93, 1.09)	1.03 (0.95, 1.13)	687 (14.6%)	28126 (14.3%)	1.03 (0.95, 1.12)	1.07 (0.98, 1.17)
Simazine	479 (10.2%)	20661 (10.5%)	0.97 (0.88, 1.07)	1.01 (0.91, 1.11)	453 (9.6%)	20332 (10.3%)	0.93 (0.84, 1.02)	0.96 (0.87, 1.07)	467 (9.9%)	19897 (10.1%)	0.98 (0.89, 1.08)	1.04 (0.94, 1.15)
<b>Insecticides</b>												
Chlorpyrifos	1550 (32.9%)	66359 (33.6%)	0.97 (0.91, 1.03)	0.98 (0.92, 1.05)	1486 (31.6%)	65983 (33.4%)	0.92 (0.86, 0.98)	0.93 (0.87, 0.99)	1488 (31.6%)	66319 (33.6%)	0.91 (0.86, 0.97)	0.92 (0.87, 0.99)
Abamectin	1497 (31.8%)	61500 (31.2%)	1.03 (0.97, 1.10)	1.02 (0.96, 1.09)	1457 (31.0%)	62299 (31.6%)	0.97 (0.91, 1.04)	0.96 (0.90, 1.02)	1452 (30.9%)	62605 (31.7%)	0.96 (0.90, 1.02)	0.96 (0.90, 1.02)
Malathion	1080 (23.0%)	46146 (23.4%)	0.98 (0.91, 1.05)	0.97 (0.90, 1.04)	1087 (23.1%)	45963 (23.3%)	0.99 (0.93, 1.06)	0.98 (0.91, 1.05)	1106 (23.5%)	46551 (23.6%)	1.00 (0.93, 1.07)	1.00 (0.93, 1.07)
Imidacloprid	1128 (24.0%)	47471 (24.1%)	1.00 (0.93, 1.07)	1.02 (0.95, 1.09)	1146 (24.4%)	48701 (24.7%)	0.98 (0.92, 1.05)	1.01 (0.94, 1.08)	1131 (24.1%)	49673 (25.2%)	0.94 (0.88, 1.01)	0.94 (0.88, 1.01)
Diazinon	1011 (21.5%)	41379 (21.0%)	1.04 (0.97, 1.12)	1.03 (0.96, 1.11)	974 (20.7%)	40383 (20.5%)	1.02 (0.95, 1.10)	1.03 (0.95, 1.11)	892 (19.0%)	39846 (20.2%)	0.93 (0.86, 1.00)	0.92 (0.85, 0.99)
Permethrin	890 (18.9%)	35906 (18.2%)	1.05 (0.97, 1.13)	1.07 (0.99, 1.15)	878 (18.7%)	36100 (18.3%)	1.02 (0.95, 1.10)	1.04 (0.96, 1.12)	850 (18.1%)	36228 (18.4%)	0.98 (0.91, 1.05)	0.99 (0.92, 1.07)
Dimethoate	608 (12.9%)	24722 (12.5%)	1.04 (0.95, 1.13)	1.06 (0.97, 1.16)	585 (12.4%)	24747 (12.5%)	0.99 (0.91, 1.08)	1.00 (0.92, 1.10)	545 (11.6%)	24803 (12.6%)	0.91 (0.83, 1.00)	0.91 (0.83, 1.00)
Methyl bromide	444 (9.4%)	18934 (9.6%)	0.98 (0.89, 1.08)	1.01 (0.91, 1.12)	450 (9.6%)	18423 (9.3%)	1.03 (0.93, 1.14)	1.05 (0.95, 1.17)	465 (9.9%)	18349 (9.3%)	1.07 (0.97, 1.18)	1.07 (0.96, 1.18)
Carbaryl	441 (9.4%)	17919 (9.1%)	1.04 (0.94, 1.15)	1.07 (0.96, 1.18)	421 (8.9%)	17871 (9.1%)	0.99 (0.89, 1.10)	0.99 (0.89, 1.11)	403 (8.6%)	17936 (9.1%)	0.94 (0.85, 1.04)	0.97 (0.87, 1.08)
Phosmet	216 (4.6%)	8863 (4.5%)	1.02 (0.89, 1.18)	1.04 (0.90, 1.20)	205 (4.4%)	8721 (4.4%)	0.99 (0.86, 1.14)	1.01 (0.87, 1.17)	214 (4.6%)	8980 (4.6%)	1.00 (0.87, 1.15)	1.07 (0.93, 1.23)
Methyl parathion	71 (1.5%)	3239 (1.6%)	0.92 (0.73, 1.17)	0.89 (0.70, 1.14)	70 (1.5%)	3279 (1.7%)	0.90 (0.71, 1.14)	0.86 (0.67, 1.11)	62 (1.3%)	3297 (1.7%)	0.79 (0.62, 1.02)	0.74 (0.57, 0.97)

<sup>1</sup> Adjusted for year of birth, infant sex

<sup>2</sup> Adjusted for year of birth, infant sex, maternal age, maternal education, maternal race/ethnicity, paternal race, parity, prenatal care in first trimester, payment type of prenatal care, maternal birthplace, and neighborhood SES

\* Numbers of exposed cases/controls and the percentages in the parenthesis; numbers used in each model may vary depending on missing values

Table S5. Odds ratios (95% confidence intervals) for trimester exposures to chemical classes and term low birthweight.

Chemical Class	First trimester				Second trimester				Third trimester			
	Term Low Birth-weight*	Normal Birth-weight*	OR <sup>1</sup>	OR <sup>2</sup>	Term Low Birth-weight*	Normal Birth-weight*	OR <sup>1</sup>	OR <sup>2</sup>	Term Low Birth-weight*	Normal Birth-weight*	OR <sup>1</sup>	OR <sup>2</sup>
No. of carbamates ever exposed to												
0 (ref.)	3073 (65.3%)	128830 (65.3%)			3083 (65.6%)	128657 (65.2%)			3129 (66.5%)	128964 (65.4%)		
1	863 (18.3%)	35943 (18.2%)	1.01 (0.93, 1.09)	1.00 (0.93, 1.09)	861 (18.3%)	36045 (18.3%)	1.00 (0.92, 1.08)	0.99 (0.91, 1.07)	819 (17.4%)	35834 (18.2%)	0.94 (0.87, 1.02)	0.93 (0.86, 1.01)
2+	768 (16.3%)	32547 (16.5%)	0.99 (0.91, 1.07)	1.01 (0.93, 1.09)	759 (16.1%)	32618 (16.5%)	0.97 (0.90, 1.05)	0.99 (0.91, 1.07)	755 (16.1%)	32523 (16.5%)	0.96 (0.89, 1.04)	0.98 (0.90, 1.07)
No. of organophosphates ever exposed to												
0 (ref.)	1931 (41.1%)	80625 (40.9%)			1948 (41.4%)	81166 (41.1%)			1985 (42.2%)	81408 (41.3%)		
1	972 (20.7%)	41534 (21.0%)	0.98 (0.91, 1.06)	0.98 (0.90, 1.06)	962 (20.5%)	41543 (21.1%)	0.97 (0.89, 1.05)	0.96 (0.88, 1.04)	933 (19.8%)	41134 (20.8%)	0.93 (0.86, 1.01)	0.93 (0.86, 1.01)
2+	1800 (38.3%)	75160 (38.1%)	1.00 (0.94, 1.07)	0.99 (0.93, 1.06)	1793 (38.1%)	74612 (37.8%)	1.00 (0.94, 1.07)	1.00 (0.93, 1.07)	1785 (38.0%)	74778 (37.9%)	0.98 (0.92, 1.05)	0.98 (0.91, 1.05)
No. of pyrethroids ever exposed to												
0 (ref.)	2354 (50.1%)	100915 (51.1%)			2356 (50.1%)	100575 (51.0%)			2402 (51.1%)	100240 (50.8%)		
1	951 (20.2%)	39843 (20.2%)	1.02 (0.95, 1.10)	1.00 (0.92, 1.08)	922 (19.6%)	39417 (20.0%)	1.00 (0.92, 1.08)	0.98 (0.91, 1.06)	913 (19.4%)	39210 (19.9%)	0.97 (0.90, 1.05)	0.97 (0.89, 1.05)
2+	1398 (29.7%)	56563 (28.7%)	1.06 (0.99, 1.13)	1.05 (0.98, 1.13)	1425 (30.3%)	57328 (29.1%)	1.06 (0.99, 1.13)	1.06 (0.99, 1.13)	1388 (29.5%)	57869 (29.3%)	1.00 (0.94, 1.07)	1.00 (0.93, 1.07)

<sup>1</sup> Adjusted for year of birth, infant sex

<sup>2</sup> Adjusted for year of birth, infant sex, maternal age, maternal education, maternal race/ethnicity, paternal race, parity, prenatal care in first trimester, payment type of prenatal care, maternal birthplace, and neighborhood SES

\* Numbers of exposed cases/controls and the percentages in the parenthesis; numbers used in each model may vary depending on missing values

Table S6. Odds ratios (95% confidence intervals) for trimester exposures to chemical classes and spontaneous preterm birth.

Chemical Class	First trimester					Second trimester				
	Preterm Birth*	Term Birth*	OR <sup>1</sup>	OR <sup>2</sup>	OR <sup>3</sup>	Preterm Birth*	Term Birth*	OR <sup>1</sup>	OR <sup>2</sup>	OR <sup>3</sup>
No. of carbamates ever exposed to										
0	8470	143956				8421	143806			
(ref.)	(63.2%)	(65.2%)				(62.8%)	(65.1%)			
1	2513	40328	1.05	1.03	1.02	2571	40390	1.07	1.05	1.04
	(18.7%)	(18.3%)	(1.00, 1.10)	(0.99, 1.08)	(0.97, 1.07)	(19.2%)	(18.3%)	(1.03, 1.12)	(1.00, 1.10)	(0.98, 1.09)
2+	2420	36613	1.10	1.05	1.02	2409	36702	1.10	1.06	1.04
	(18.1%)	(16.6%)	(1.05, 1.16)	(1.00, 1.11)	(0.96, 1.09)	(18.0%)	(16.6%)	(1.05, 1.16)	(1.01, 1.11)	(0.98, 1.11)
No. of organophosphates ever exposed to										
0	5238	90246				5171	90715			
(ref.)	(39.1%)	(40.9%)				(38.6%)	(41.1%)			
1	2818	46306	1.04	1.01	0.98	2911	46494	1.09	1.06	1.04
	(21.0%)	(21.0%)	(0.99, 1.09)	(0.96, 1.06)	(0.93, 1.03)	(21.7%)	(21.0%)	(1.04, 1.14)	(1.01, 1.11)	(0.99, 1.09)
2+	5346	84346	1.07	1.02	0.95	5320	83688	1.09	1.03	0.98
	(39.9%)	(38.2%)	(1.03, 1.11)	(0.98, 1.06)	(0.90, 1.01)	(39.7%)	(37.9%)	(1.05, 1.13)	(0.99, 1.08)	(0.93, 1.03)
No. of pyrethroids ever exposed to										
0	6543	112936				6537	112617			
(ref.)	(48.8%)	(51.1%)				(48.8%)	(51.0%)			
1	2773	44681	1.07	1.05	1.06	2808	44247	1.09	1.07	1.06
	(20.7%)	(20.2%)	(1.02, 1.12)	(1.00, 1.10)	(1.00, 1.11)	(21.0%)	(20.0%)	(1.04, 1.14)	(1.02, 1.12)	(1.01, 1.11)
2+	4086	63281	1.12	1.08	1.10	4058	64034	1.09	1.06	1.05
	(30.5%)	(28.6%)	(1.07, 1.16)	(1.03, 1.13)	(1.04, 1.16)	(30.3%)	(29.0%)	(1.05, 1.14)	(1.02, 1.11)	(0.99, 1.11)

<sup>1</sup> Adjusted for year of birth, infant sex

<sup>2</sup> Adjusted for year of birth, infant sex, maternal age, maternal education, maternal race/ethnicity, paternal race, parity, prenatal care in first trimester, payment type of prenatal care, maternal birthplace, and neighborhood SES

<sup>3</sup> Adjusted for year of birth, infant sex, maternal age, maternal education, maternal race/ethnicity, paternal race, parity, prenatal care in first trimester, payment type of prenatal care, maternal birthplace, neighborhood SES, and co-exposures to other two chemical classes

\* Numbers of exposed cases/controls and the percentages in the parenthesis; numbers used in each model may vary depending on missing values

Figure S1. Study subjects in agricultural and non-agricultural regions.

