

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Molecule ID</b>	<b>SMILES</b>	<b>Parent ID</b>	<b>Generation</b>
<b>Compound 1</b>	<chem>O=C1c2c(OC(C1O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	-1	0
<b>Compound 2</b>	<chem>O=C1c2c(O[C@@H]([C@H]1O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	1
<b>Compound 3</b>	<chem>O=C1c2c(O[C@H](C1)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	1
<b>Compound 4</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	1
<b>Compound 5</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)OC)cc(cc2O)O</chem>	1	1
<b>Compound 6</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(O)c(cc1)N)cc(cc2O)O</chem>	1	1
<b>Compound 7</b>	<chem>O=C1c2c(O[C@@H](C1)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	1
<b>Compound 8</b>	<chem>O=Cc1c(O[C@@H](c2cc(O)c(cc2)O)CO)cc(cc1O)O</chem>	1	1
<b>Compound 9</b>	<chem>O=C(c1c(O)cc(cc1O)O)[C@H](O)Cc1cc(O)c(cc1)O</chem>	1	1
<b>Compound 10</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@@H]1O)c1cc(O)c(cc1)O)O</chem>	2	2
<b>Compound 11</b>	<chem>O=C(c1c(OC)cc(cc1O)O)[C@H](O)Cc1cc(O)c(cc1)O</chem>	12	2
<b>Compound 12</b>	<chem>O=C1c2c(O)cc(cc2C[C@@H]([C@@H]1O)c1cc(O)c(cc1)O)O</chem>	1	2
<b>Compound 13</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	2
<b>Compound 14</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)C)cc(cc2O)O</chem>	6	2
<b>Compound 15</b>	<chem>Clc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	2	2
<b>Compound 16</b>	<chem>O1c2c(c(O)cc(c2)O)C[C@H]([C@@H]1c1cc(O)c(cc1)O)O</chem>	2	2
<b>Compound 17</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2O)C</chem>	2	2
<b>Compound 18</b>	<chem>Clc1c2c(O[C@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	71	3
<b>Compound 19</b>	<chem>Clc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	71	3
<b>Compound 20</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	3
<b>Compound 21</b>	<chem>O=C1c2c(O[C@@H]([C@H]1OC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	3
<b>Compound 22</b>	<chem>O=C1c2c(O[C@@H]([C@H]1O)Cc1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	3

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 23</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2N)O</chem>	1	3
<b>Compound 24</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@H]1O)c1cc(O)c(cc1)O)O</chem>	71	3
<b>Compound 25</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	2	3
<b>Compound 26</b>	<chem>O=C1c2c(O)cc(cc2[C@H](C[C@@H]1O)c1cc(O)c(cc1)O)O</chem>	24	3
<b>Compound 27</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@@H]1C)c1cc(O)c(cc1)O)O</chem>	24	3
<b>Compound 28</b>	<chem>Clc1c2c(O[C@H](CC2=O)c2cc(O)c(cc2)O)cc(c1)O</chem>	114	4
<b>Compound 29</b>	<chem>O=C1c2c(O[C@@H]([C@H]1O)CCc1cc(O)c(cc1)O)cc(cc2O)O</chem>	163	4
<b>Compound 30</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	4
<b>Compound 31</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@H](C(=O)c2c(c1)O)O</chem>	1	4
<b>Compound 32</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	6	4
<b>Compound 33</b>	<chem>Ic1c2c(O[C@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	6	4
<b>Compound 34</b>	<chem>Clc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	2	4
<b>Compound 35</b>	<chem>Fc1c(O)ccc(c1)[C@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	161	4
<b>Compound 36</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	264	5
<b>Compound 37</b>	<chem>Ic1c2c(O[C@H](CC2=O)c2cc(O)c(cc2)O)cc(c1)O</chem>	264	5
<b>Compound 38</b>	<chem>Fc1c(O)ccc(c1)[C@H]1Oc2c(C(=O)C1)c(O)cc(c2)O</chem>	269	5
<b>Compound 39</b>	<chem>O=C1c2c(O)cc(cc2CO[C@H]([C@H]1O)c1cc(O)c(cc1)O)O</chem>	71	5
<b>Compound 40</b>	<chem>O=C1c2c(O[C@H]([C@H]1OC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	71	5
<b>Compound 41</b>	<chem>Clc1c2c(O[C@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	6	5
<b>Compound 42</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	6	5
<b>Compound 43</b>	<chem>Ic1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	161	5
<b>Compound 44</b>	<chem>Clc1cc2O[C@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	161	5
<b>Compound 45</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OC)c1cc(O)c(cc1)O)cc(c2)O)O</chem>	262	5

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 46</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	332	6
<b>Compound 47</b>	<chem>O=C1c2c(O)cc(cc2CO[C@H]1c1cc(O)c(cc1)O)O</chem>	331	6
<b>Compound 48</b>	<chem>Clc1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	340	6
<b>Compound 49</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(O)c(cc1)C)cc(cc2O)O</chem>	1	6
<b>Compound 50</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	6
<b>Compound 51</b>	<chem>O=C1c2c(O)cc(cc2N[C@H]([C@@H]1O)c1cc(O)c(cc1)O)O</chem>	6	6
<b>Compound 52</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	2	6
<b>Compound 53</b>	<chem>Clc1c2c(O[C@@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	161	6
<b>Compound 54</b>	<chem>O=C1c2c(O[C@H]([C@H]1CCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	7
<b>Compound 55</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	408	7
<b>Compound 56</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	408	7
<b>Compound 57</b>	<chem>O=C1c2c(O[C@@H]([C@H]1[C@@H](O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	408	7
<b>Compound 58</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	408	7
<b>Compound 59</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C(=N)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	408	7
<b>Compound 60</b>	<chem>Clc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	71	7
<b>Compound 61</b>	<chem>Fc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	71	7
<b>Compound 62</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	262	7
<b>Compound 63</b>	<chem>Ic1c2c(O[C@@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1	8
<b>Compound 64</b>	<chem>O=C1c2c(O)cc(cc2N[C@H]([C@H]1O)c1cc(O)c(cc1)O)O</chem>	1	8
<b>Compound 65</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	71	8
<b>Compound 66</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	71	8
<b>Compound 67</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(O)c(cc1)O)cc(cc2O)C</chem>	71	8
<b>Compound 68</b>	<chem>Fc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@H](C(=O)c2c(c1)O)O</chem>	71	8

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 69</b>	<chem>Brc1c(O)cc(cc1)[C@@H]1Oc2c(C=O)[C@H]1O)c(O)cc(c2)O</chem>	6	8
<b>Compound 70</b>	<chem>Brc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	2	8
<b>Compound 71</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	161	8
<b>Compound 72</b>	<chem>O=C1c2c(O[C@@H](C1(C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	9
<b>Compound 73</b>	<chem>Brc1c(O)ccc(c1)[C@H]1Oc2c(C=O)[C@H]1O)c(O)cc(c2)O</chem>	1	9
<b>Compound 74</b>	<chem>Fc1c2c(O[C@@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1	9
<b>Compound 75</b>	<chem>O=C1c2c(O[C@H]([C@H]1C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	71	9
<b>Compound 76</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(O)c(cc1)C)cc(cc2O)O</chem>	71	9
<b>Compound 77</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1OC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	161	9
<b>Compound 78</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	262	9
<b>Compound 79</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(O)c(cc1)O)cc(cc2O)N</chem>	254	9
<b>Compound 80</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	679	10
<b>Compound 81</b>	<chem>O1c2c(c(O)cc(c2)O)[C@@H]([C@@H]([C@@H]1c1cc(O)c(cc1)O)O)O</chem>	1	10
<b>Compound 82</b>	<chem>Brc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@H](C(=O)c2c(c1)O)O</chem>	71	10
<b>Compound 83</b>	<chem>O=C1c2c(O)cc(cc2[C@H]([C@H]1O)c1cc(O)c(cc1)O)O</chem>	71	10
<b>Compound 84</b>	<chem>O1c2c(c(O)cc(c2)O)[C@H]([C@@H]([C@@H]1c1cc(O)c(cc1)O)O)O</chem>	71	10
<b>Compound 85</b>	<chem>Ic1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	2	10
<b>Compound 86</b>	<chem>Clc1c(O)ccc(c1)[C@H]1Oc2c(C=O)[C@H]1O)c(O)cc(c2)O</chem>	161	10
<b>Compound 87</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2O)C</chem>	161	10
<b>Compound 88</b>	<chem>Ic1cc2O[C@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	161	10
<b>Compound 89</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OC)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	262	10
<b>Compound 90</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	705	11
<b>Compound 91</b>	<chem>Ic1c(O)ccc(c1)[C@@H]1Oc2c(C=O)[C@@H]1O)c(O)cc(c2)O</chem>	1	11

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 92</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	71	11
<b>Compound 93</b>	<chem>Fc1c2c(O[C@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	6	11
<b>Compound 94</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)O)nc(cc2O)O</chem>	6	11
<b>Compound 95</b>	<chem>O=C1c2c(O)cc(cc2CO[C@@H]([C@@H]1O)c1cc(O)c(cc1)O)O</chem>	161	11
<b>Compound 96</b>	<chem>C1c1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@H]1OC)c(O)cc(c2)O</chem>	262	11
<b>Compound 97</b>	<chem>Fc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@H]1OC)c(O)cc(c2)O</chem>	262	11
<b>Compound 98</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OC)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	262	11
<b>Compound 99</b>	<chem>C1c1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1OC)c(O)cc(c2)O</chem>	262	11
<b>Compound 100</b>	<chem>O=C1c2c(O)cc(cc2CO[C@@H]1c1cc(O)c(cc1)O)O</chem>	825	12
<b>Compound 101</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	1	12
<b>Compound 102</b>	<chem>Fc1c2c(O[C@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	71	12
<b>Compound 103</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(N)c(cc1)O)cc(cc2O)O</chem>	71	12
<b>Compound 104</b>	<chem>O=C1c2c(O[C@H]([C@H]1OO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	71	12
<b>Compound 105</b>	<chem>Ic1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	6	12
<b>Compound 106</b>	<chem>O=C1c2c(O)cc(cc2CO[C@H]([C@@H]1O)c1cc(O)c(cc1)O)O</chem>	2	12
<b>Compound 107</b>	<chem>Ic1c(O)ccc(c1)[C@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	161	12
<b>Compound 108</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	12
<b>Compound 109</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1C)c(O)cc(c2)O</chem>	901	13
<b>Compound 110</b>	<chem>Br1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	1	13
<b>Compound 111</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(O)c(cc1)N)cc(cc2O)O</chem>	71	13
<b>Compound 112</b>	<chem>Ic1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	6	13
<b>Compound 113</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1nc(O)c(cc1)O)cc(cc2O)O</chem>	6	13
<b>Compound 114</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1nc(c(c1)O)O)cc(cc2O)O</chem>	6	13

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 115</b>	<chem>O=C1c2c(O)cc(cc2N[C@@H]([C@@H]1O)c1cc(O)c(cc1)O)O</chem>	161	13
<b>Compound 116</b>	<chem>Sc1cc2O[C@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	161	13
<b>Compound 117</b>	<chem>Clc1c2c(O[C@H]([C@@H](C2=O)OC)c2cc(O)c(cc2)O)cc(c1)O</chem>	262	13
<b>Compound 118</b>	<chem>Brc1cc2O[C@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	976	14
<b>Compound 119</b>	<chem>Brc1cc2O[C@H](c3cc(O)c(cc3)O)[C@H](C(=O)c2c(c1)O)O</chem>	1	14
<b>Compound 120</b>	<chem>Brc1c2c(O[C@@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1	14
<b>Compound 121</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(N)c(cc1)O)cc(cc2O)O</chem>	1	14
<b>Compound 122</b>	<chem>O=C1[C@H](O)[C@H](Oc2c(C1)c(O)cc(c2)O)c1cc(O)c(cc1)O</chem>	1	14
<b>Compound 123</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1nc(O)c(cc1)O)cc(cc2O)O</chem>	71	14
<b>Compound 124</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1ncc(c(c1)O)O)cc(cc2O)O</chem>	6	14
<b>Compound 125</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	161	14
<b>Compound 126</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2N)O</chem>	161	14
<b>Compound 127</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1OC)c(O)cc(c2)O</chem>	262	14
<b>Compound 128</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1nnc(c(c1)O)O)cc(cc2O)O</chem>	1058	15
<b>Compound 129</b>	<chem>O=C1c2c(O[C@@H]([C@H]1O)c1cc(O)c(cc1)O)cc(cc2O)C</chem>	1044	15
<b>Compound 130</b>	<chem>Brc1c2c(O[C@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	71	15
<b>Compound 131</b>	<chem>Brc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	71	15
<b>Compound 132</b>	<chem>Ic1c2c(O[C@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	71	15
<b>Compound 133</b>	<chem>O=C1c2c(O[C@H]([C@H]1O)c1cc(O)c(cc1)O)cc(cc2N)O</chem>	71	15
<b>Compound 134</b>	<chem>Sc1c2c(O[C@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	6	15
<b>Compound 135</b>	<chem>Ic1c2c(O[C@@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	161	15
<b>Compound 136</b>	<chem>O=C1c2c(O[C@H]([C@@H]1O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1	16
<b>Compound 137</b>	<chem>O=C1[C@@H](O)[C@@H](Oc2c(C1)c(O)cc(c2)O)c1cc(O)c(cc1)O</chem>	6	16

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 138</b>	<chem>BrC1C2C(O[C@@H]([C@@H](C2=O)O)C2CC(O)C(CC2O)CC(C1)O</chem>	6	16
<b>Compound 139</b>	<chem>O1C2C(C(O)CC(C2)O)C(=C)[C@H]([C@@H]1C1CC(O)C(CC1)O)O</chem>	2	16
<b>Compound 140</b>	<chem>O=C1C2C(O[C@@H]([C@@H]1O)C1CC(O)C(CC1)O)NC(CC2O)O</chem>	161	16
<b>Compound 141</b>	<chem>O=C1C2C(O[C@@H]([C@@H]1O)C1CC(O)C(CC1)O)CC(CC2O)N</chem>	161	16
<b>Compound 142</b>	<chem>O=C1C2C(O[C@@H]([C@@H]1O)C1CNC(C(C1)O)O)CC(CC2O)O</chem>	161	16
<b>Compound 143</b>	<chem>Ic1c2c(O[C@H]([C@@H](C2=O)OC)C2CC(O)C(CC2O)CC(C1)O</chem>	262	16
<b>Compound 144</b>	<chem>Ic1c2c(O[C@@H]([C@@H](C2=O)C)C2CC(O)C(CC2O)CC(C1)O</chem>	592	16
<b>Compound 145</b>	<chem>O=C1C2C(O)CC(CC2N[C@@H]([C@@H]1C)C1CC(O)C(CC1)O)O</chem>	592	16
<b>Compound 146</b>	<chem>O1C2C(C(O)CC(C2)O)C[C@H]([C@H]1C1CC(O)C(CC1)O)C</chem>	592	16
<b>Compound 147</b>	<chem>O=C1C2C(O[C@H]([C@@H]1CO)C1CC(O)C(CC1)O)CC(CC2O)O</chem>	1217	17
<b>Compound 148</b>	<chem>O=C1[C@@H](Oc2c(C1)C(O)CC(C2)O)C1CC(O)C(CC1)O</chem>	1228	17
<b>Compound 149</b>	<chem>O=C[C@@H](O)[C@@H](Oc1c(C(O)CC(C1)O)C)C1CC(O)C(CC1)O</chem>	1228	17
<b>Compound 150</b>	<chem>O=C1Cc2c(O[C@H](C1)C1CC(O)C(CC1)O)CC(CC2O)O</chem>	1228	17
<b>Compound 151</b>	<chem>Ic1c2c(O[C@H]([C@H](C2=O)C)C2CC(O)C(CC2O)CC(C1)O</chem>	1254	17
<b>Compound 152</b>	<chem>O=C1C2C(O[C@@H]([C@H]1OO)C1CC(O)C(CC1)O)CC(CC2O)O</chem>	1	17
<b>Compound 153</b>	<chem>O1C2C(C(O)CC(C2)O)C(=C)[C@@H]([C@@H]1C1CC(O)C(CC1)O)O</chem>	1	17
<b>Compound 154</b>	<chem>BrC1C2C(O[C@@H]([C@@H](C2=O)O)C2CC(O)C(CC2O)CC(C1)O</chem>	161	17
<b>Compound 155</b>	<chem>Fc1cc2O[C@@H](c3cc(O)C(CC3)O)[C@@H](C(=O)C2C(C1)O)OC</chem>	262	17
<b>Compound 156</b>	<chem>O=C1N[C@H]([C@H](Oc2c1c(O)CC(C2)O)C1CC(O)C(CC1)O)C</chem>	592	17
<b>Compound 157</b>	<chem>O=C1C2C(O[C@H]([C@@H]1C(=O)O)C1CC(O)C(CC1)O)CC(CC2O)O</chem>	1264	18
<b>Compound 158</b>	<chem>O=C1C2C(O[C@H]([C@@H]1[C@H](O)C)C1CC(O)C(CC1)O)CC(CC2O)O</chem>	1264	18
<b>Compound 159</b>	<chem>O=C1C2C(O[C@@H]([C@H]1OCO)C1CC(O)C(CC1)O)CC(CC2O)O</chem>	1319	18
<b>Compound 160</b>	<chem>O=C1C2C(O[C@H]([C@H]1O)C1CC(O)C(CC1)O)NC(CC2O)O</chem>	71	18

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 161</b>	<chem>Sc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	71	18
<b>Compound 162</b>	<chem>O=C1[C@H](O)[C@@H](Oc2c(C1)c(O)cc(c2)O)c1cc(O)c(cc1)O</chem>	71	18
<b>Compound 163</b>	<chem>O=C1[C@@H](O)[C@H](Oc2c(C1)c(O)cc(c2)O)c1cc(O)c(cc1)O</chem>	161	18
<b>Compound 164</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C)c1cc(O)c(cc1)C)cc(cc2O)O</chem>	592	18
<b>Compound 165</b>	<chem>Sc1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	1	19
<b>Compound 166</b>	<chem>Sc1c2c(O[C@@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1	19
<b>Compound 167</b>	<chem>Sc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@H](C(=O)c2c(c1)O)O</chem>	1	19
<b>Compound 168</b>	<chem>Sc1c(O)ccc(c1)[C@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	1	19
<b>Compound 169</b>	<chem>O=C1c2c(O[C@@H]([C@H]1O)c1ncc(c(c1)O)O)cc(cc2O)O</chem>	71	19
<b>Compound 170</b>	<chem>Sc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)O</chem>	6	19
<b>Compound 171</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C#N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	19
<b>Compound 172</b>	<chem>Clc1c2c(O[C@@H]([C@@H](C2=O)C)c2cc(O)c(cc2)O)cc(c1)O</chem>	592	19
<b>Compound 173</b>	<chem>O=C1c2c(O[C@@H](C1=C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	19
<b>Compound 174</b>	<chem>O=Cc1c(O[C@@H](c2cc(O)c(cc2)O)C=C)cc(cc1O)O</chem>	1553	20
<b>Compound 175</b>	<chem>Sc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@@H]1O)c(O)cc(c2)O</chem>	71	20
<b>Compound 176</b>	<chem>Sc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	6	20
<b>Compound 177</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1OO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	161	20
<b>Compound 178</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@H]([C@H]1c1cc(O)c(cc1)O)O</chem>	161	20
<b>Compound 179</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OC=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	262	20
<b>Compound 180</b>	<chem>Brc1cc2O[C@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)C</chem>	592	20
<b>Compound 181</b>	<chem>Brc1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@H]1C)c(O)cc(c2)O</chem>	592	20
<b>Compound 182</b>	<chem>Ic1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@H]1C)c(O)cc(c2)O</chem>	592	20
<b>Compound 183</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1CO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1600	21

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 184</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1614	21
<b>Compound 185</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OC(=O)N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1614	21
<b>Compound 186</b>	<chem>O=C(O)c1c(O[C@H](c2cc(O)c(cc2)O)C=C)cc(cc1O)O</chem>	1556	21
<b>Compound 187</b>	<chem>O=Cc1c(O[C@H](c2cc(O)c(cc2)O)C)cc(cc1O)O</chem>	1556	21
<b>Compound 188</b>	<chem>O=C(N)c1c(O[C@H](c2cc(O)c(cc2)O)C=C)cc(cc1O)O</chem>	1556	21
<b>Compound 189</b>	<chem>Sc1c2c(O[C@H]([C@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	71	21
<b>Compound 190</b>	<chem>Sc1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@H]1O)c(O)cc(c2)O</chem>	161	21
<b>Compound 191</b>	<chem>Sc1c2c(O[C@@H]([C@@H](C2=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	161	21
<b>Compound 192</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	262	21
<b>Compound 193</b>	<chem>O1c2c(c(O)cc(c2)O)[C@@H]([C@H]([C@H]1c1cc(O)c(cc1)O)C)O</chem>	592	21
<b>Compound 194</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	21
<b>Compound 195</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1699	22
<b>Compound 196</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1692	22
<b>Compound 197</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1636	22
<b>Compound 198</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1636	22
<b>Compound 199</b>	<chem>O=C(N)c1c(O[C@H](c2cc(O)c(cc2)O)C)cc(cc1O)O</chem>	1664	22
<b>Compound 200</b>	<chem>FCO[C@@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	262	22
<b>Compound 201</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@H]([C@@H]1c1cc(O)c(cc1)O)OC</chem>	262	22
<b>Compound 202</b>	<chem>O=C1c2c(O[C@@H]([C@@H](C1)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	22
<b>Compound 203</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CC(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1718	23
<b>Compound 204</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)CO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1718	23
<b>Compound 205</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)C[C@@H]1c1cc(O)c(cc1)O</chem>	1772	23
<b>Compound 206</b>	<chem>O=C(c1c(O[C@H](c2cc(O)c(cc2)O)CC)cc(cc1O)O)C</chem>	1786	23

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 207</b>	<chem>Sc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@H]1OC)c(O)cc(c2)O</chem>	262	23
<b>Compound 208</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@H](C(=O)c2c(c1)O)C</chem>	254	23
<b>Compound 209</b>	<chem>Fc1c(O)ccc(c1)[C@H]1Oc2c(C(=O)[C@@H]1C)c(O)cc(c2)O</chem>	447	23
<b>Compound 210</b>	<chem>O=C1c2c(O)cc(cc2C[C@@H]([C@H]1C)c1cc(O)c(cc1)O)O</chem>	447	23
<b>Compound 211</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	447	23
<b>Compound 212</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1876	24
<b>Compound 213</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)CCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1809	24
<b>Compound 214</b>	<chem>O=C(O)c1c(O[C@H](c2cc(O)c(cc2)O)CC)cc(cc1O)O</chem>	1843	24
<b>Compound 215</b>	<chem>O=C(c1c(O[C@H](c2cc(O)c(cc2)O)CCC)cc(cc1O)O)C</chem>	1843	24
<b>Compound 216</b>	<chem>O=C1N([C@@H](c2cc(O)c(cc2)O)Cc2c1c(O)cc(c2)O)C</chem>	1873	24
<b>Compound 217</b>	<chem>O=C1c2c(O)cc(cc2C[C@@H](C1)c1cc(O)c(cc1)O)O</chem>	1873	24
<b>Compound 218</b>	<chem>Sc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)OC</chem>	262	24
<b>Compound 219</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@H]([C@H]1c1cc(O)c(cc1)O)C</chem>	592	24
<b>Compound 220</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C)c1ncc(c(c1)O)O)cc(cc2O)O</chem>	592	24
<b>Compound 221</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(=O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	24
<b>Compound 222</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CCCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1889	25
<b>Compound 223</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C(=O)CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1889	25
<b>Compound 224</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)CC=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1899	25
<b>Compound 225</b>	<chem>O=C1[C@H]([C@H](Oc2c(C1)c(O)cc(c2)O)c1cc(O)c(cc1)O)C</chem>	592	25
<b>Compound 226</b>	<chem>O=C1c2c(O)cc(cc2CO[C@@H]([C@@H]1C)c1cc(O)c(cc1)O)O</chem>	592	25
<b>Compound 227</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@@H]1OO)c1cc(O)c(cc1)O)O</chem>	1217	25
<b>Compound 228</b>	<chem>O=C1c2c(O[C@H]([C@@]1(O)CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	25
<b>Compound 229</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@@H]1CC)c(O)cc(c2)O</chem>	359	25

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 230</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	25
<b>Compound 231</b>	<chem>O=C1c2c(O[C@H]([C@H]1[C@H](CC)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2080	26
<b>Compound 232</b>	<chem>O=C1c2c(O[C@@H]([C@H]1OCCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1998	26
<b>Compound 233</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1CN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	26
<b>Compound 234</b>	<chem>S=C[C@@H]1C(=O)c2c(O[C@@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	592	26
<b>Compound 235</b>	<chem>Clc1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@@H]1C)c(O)cc(c2)O</chem>	447	26
<b>Compound 236</b>	<chem>O=C1N[C@@H]([C@H](Oc2c1c(O)cc(c2)O)c1cc(O)c(cc1)O)C</chem>	447	26
<b>Compound 237</b>	<chem>O=C1c2c(O[C@H]([C@H]1[C@H](O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	26
<b>Compound 238</b>	<chem>O=C1[C@H]([C@@H](Oc2c(C1)c(O)cc(c2)O)c1cc(O)c(cc1)O)CO</chem>	1264	26
<b>Compound 239</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)CO</chem>	1264	26
<b>Compound 240</b>	<chem>S=C[C@H](C(=O)c1c(O)cc(cc1O)O)Cc1cc(O)c(cc1)O</chem>	2144	27
<b>Compound 241</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C(=O)N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2141	27
<b>Compound 242</b>	<chem>O=C1c2c(O[C@H]([C@H]1[C@H](CCC)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2085	27
<b>Compound 243</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)C</chem>	2177	27
<b>Compound 244</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)[C@H](O)C</chem>	2177	27
<b>Compound 245</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	447	27
<b>Compound 246</b>	<chem>Fc1c(O)cc(cc1)[C@H]1Oc2c(C(=O)[C@@H]1C)c(O)cc(c2)O</chem>	447	27
<b>Compound 247</b>	<chem>O=C1c2c(O[C@H]([C@@H]1OO)c1cc(N)c(cc1)O)cc(cc2O)O</chem>	1217	27
<b>Compound 248</b>	<chem>O=C(c1c(O)cc(cc1O)O)[C@@H](C=C)Cc1cc(O)c(cc1)O</chem>	2188	28
<b>Compound 249</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C)c1nc(O)c(cc1)O)cc(cc2O)O</chem>	592	28
<b>Compound 250</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C)c1nc(c(c1)O)O)cc(cc2O)O</chem>	447	28
<b>Compound 251</b>	<chem>Clc1c2c(O[C@@H]([C@H](C2=O)C)c2cc(O)c(cc2)O)cc(c1)O</chem>	447	28
<b>Compound 252</b>	<chem>O=C1c2c(O)cc(cc2N[C@H]([C@@H]1OO)c1cc(O)c(cc1)O)O</chem>	1217	28

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 253</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	28
<b>Compound 254</b>	<chem>Clc1c2c(O[C@H]([C@H](C2=O)CC)c2cc(O)c(cc2)O)cc(c1)O</chem>	359	28
<b>Compound 255</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@H]1CC)c1cc(O)c(cc1)O)O</chem>	359	28
<b>Compound 256</b>	<chem>Clc1c2c(O[C@@H](CC2=O)c2cc(O)c(cc2)O)cc(c1)O</chem>	2346	29
<b>Compound 257</b>	<chem>O=C1c2c(O)cc(cc2N[C@H]([C@@H]1CO)c1cc(O)c(cc1)O)O</chem>	2361	29
<b>Compound 258</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@H]1C(=O)C)c1cc(O)c(cc1)O)O</chem>	2370	29
<b>Compound 259</b>	<chem>O1c2c(c(O)cc(c2)O)[C@H]([C@@H]([C@H]1c1cc(O)c(cc1)O)C)O</chem>	447	29
<b>Compound 260</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	447	29
<b>Compound 261</b>	<chem>O=C1c2c(O)cc(cc2N[C@@H]([C@H]1C)c1cc(O)c(cc1)O)O</chem>	447	29
<b>Compound 262</b>	<chem>O1c2c(c(O)cc(c2)O)C[C@H]([C@@H]1c1cc(O)c(cc1)O)OO</chem>	1217	29
<b>Compound 263</b>	<chem>O=C1c2c(O[C@H]([C@H]1CCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	29
<b>Compound 264</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C(=O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2435	30
<b>Compound 265</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2453	30
<b>Compound 266</b>	<chem>O=C1c2c(O[C@H]([C@H]1CCCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2453	30
<b>Compound 267</b>	<chem>O=C1c2c(O[C@H]([C@H]1C[C@H](O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2453	30
<b>Compound 268</b>	<chem>O=C1c2c(O[C@@H]([C@H](C1)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	447	30
<b>Compound 269</b>	<chem>Clc1c2c(O[C@H]([C@@H](C2=O)CO)c2cc(O)c(cc2)O)cc(c1)O</chem>	1264	30
<b>Compound 270</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	30
<b>Compound 271</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=N)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	30
<b>Compound 272</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC(O)(C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2473	31
<b>Compound 273</b>	<chem>O=C1c2c(O[C@H]([C@H]1C[C@H](O)CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2471	31
<b>Compound 274</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC(C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2471	31
<b>Compound 275</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@H](C(=C)c2c(c1)O)O</chem>	254	31

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 276</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C)c1cc(O)c(cc1)C)cc(cc2O)O</chem>	447	31
<b>Compound 277</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1OO)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	1217	31
<b>Compound 278</b>	<chem>Clc1c2c(O[C@@H]([C@@H](C2=O)OO)c2cc(O)c(cc2)O)cc(c1)O</chem>	1217	31
<b>Compound 279</b>	<chem>O=C1c2c(O)cc(cc2C[C@@H]([C@@H]1CO)c1cc(O)c(cc1)O)O</chem>	1264	31
<b>Compound 280</b>	<chem>O=C1c2c(O)cc(cc2N[C@@H]([C@H]1OC)c1cc(O)c(cc1)O)O</chem>	332	31
<b>Compound 281</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C[C@@H](OC)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2592	32
<b>Compound 282</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CCCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2594	32
<b>Compound 283</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C(=O)C(C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2594	32
<b>Compound 284</b>	<chem>O=C1c2c(O)cc(cc2C[C@@H]([C@@H]1[C@H](O)C)c1cc(O)c(cc1)O)O</chem>	2636	32
<b>Compound 285</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C#N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	447	32
<b>Compound 286</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	447	32
<b>Compound 287</b>	<chem>O=C1c2c(O[C@@H](/C/1=C/O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	32
<b>Compound 288</b>	<chem>O=C1c2c(O[C@@H]([C@H]1OCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	332	32
<b>Compound 289</b>	<chem>O=C1c2c(O[C@@H]([C@H]1OCCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2753	33
<b>Compound 290</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CCCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2658	33
<b>Compound 291</b>	<chem>O=C1c2c(O[C@@H]([C@H]1[C@@H](O)COC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2652	33
<b>Compound 292</b>	<chem>Ic1c2c(O[C@@H]([C@H](C2=O)C)c2cc(O)c(cc2)O)cc(c1)O</chem>	2714	33
<b>Compound 293</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C(=O)CCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2660	33
<b>Compound 294</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C)c1ncc(c(c1)O)O)cc(cc2O)O</chem>	447	33
<b>Compound 295</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1CO)c(O)cc(c2)O</chem>	1264	33
<b>Compound 296</b>	<chem>O=C1c2c(O[C@@H]([C@H]1OC)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	332	33
<b>Compound 297</b>	<chem>O=C1c2c(O[C@@H]([C@H]1OCC(C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2776	34
<b>Compound 298</b>	<chem>O=C1c2c(O[C@@H]([C@H]1C(=O)CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2800	34

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 299</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	447	34
<b>Compound 300</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1OO)c1cc(O)c(cc1)C)cc(cc2O)O</chem>	1217	34
<b>Compound 301</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1OO)c(O)cc(c2)O</chem>	1217	34
<b>Compound 302</b>	<chem>Clc1c(O)cc(cc1)[C@@H]1Oc2c(C(=O)[C@H]1OO)c(O)cc(c2)O</chem>	1217	34
<b>Compound 303</b>	<chem>O=C1c2c(O[C@@H]([C@@]1(CO)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	34
<b>Compound 304</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@@H]1OC)c(O)cc(c2)O</chem>	332	34
<b>Compound 305</b>	<chem>O=C1c2c(O[C@@H](C1(C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2934	35
<b>Compound 306</b>	<chem>O=C1c2c(O[C@@H]([C@@]1([C@@H](O)C)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2934	35
<b>Compound 307</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@@H]([C@H]1c1cc(O)c(cc1)O)C</chem>	447	35
<b>Compound 308</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@H]([C@@H]1c1cc(O)c(cc1)O)OO</chem>	1217	35
<b>Compound 309</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CCN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	35
<b>Compound 310</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CNC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	35
<b>Compound 311</b>	<chem>O=C1c2c(O)cc(cc2C[C@@H]([C@H]1OC)c1cc(O)c(cc1)O)O</chem>	332	35
<b>Compound 312</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1CCN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2548	35
<b>Compound 313</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C#N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2548	35
<b>Compound 314</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1CCCN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3037	36
<b>Compound 315</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1C(=O)CN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3037	36
<b>Compound 316</b>	<chem>Brc1c2c(O[C@@H]([C@H](C2=O)C)c2cc(O)c(cc2)O)cc(c1)O</chem>	447	36
<b>Compound 317</b>	<chem>Brc1c2c(O[C@@H]([C@@H](C2=O)OO)c2cc(O)c(cc2)O)cc(c1)O</chem>	1217	36
<b>Compound 318</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1OOO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1217	36
<b>Compound 319</b>	<chem>O=C1c2c(O[C@@H]([C@H]1CO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	36
<b>Compound 320</b>	<chem>O=C1c2c(O[C@@H]([C@@H]1CO)c1cc(O)c(cc1)O)cc(cc2O)C</chem>	1264	36
<b>Compound 321</b>	<chem>O=C1c2c(O[C@@H]([C@H]1OC)c1cc(O)c(cc1)C)cc(cc2O)O</chem>	332	36

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 322</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C)c1cc(O)c(cc1)O)cc(cc2O)C</chem>	3130	37
<b>Compound 323</b>	<chem>S=C[C@H]1C(=O)c2c(O[C@@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	447	37
<b>Compound 324</b>	<chem>Sc1c2c(O[C@H]([C@@H](C2=O)OO)c2cc(O)c(cc2)O)cc(c1)O</chem>	1217	37
<b>Compound 325</b>	<chem>Fc1c2c(O[C@H]([C@H](C2=O)CC)c2cc(O)c(cc2)O)cc(c1)O</chem>	359	37
<b>Compound 326</b>	<chem>Brc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)CO</chem>	1264	37
<b>Compound 327</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CO)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	1264	37
<b>Compound 328</b>	<chem>Fc1c2c(O[C@H]([C@H](C2=O)OC)c2cc(O)c(cc2)O)cc(c1)O</chem>	332	37
<b>Compound 329</b>	<chem>O=C1c2c(O[C@H]([C@H]1OC)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	332	37
<b>Compound 330</b>	<chem>Sc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@@H]1OC)c(O)cc(c2)O</chem>	332	37
<b>Compound 331</b>	<chem>Clc1c2c(O[C@H]([C@H](C2=O)OC)c2cc(O)c(cc2)O)cc(c1)O</chem>	332	37
<b>Compound 332</b>	<chem>O=C1c2c(O[C@H]([C@@H]1[C@@H](O)C)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	3218	38
<b>Compound 333</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	3218	38
<b>Compound 334</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C=O)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	3218	38
<b>Compound 335</b>	<chem>O=C1[C@@H]([C@H](Oc2c(C1)c(O)cc(c2)O)c1cc(O)c(cc1)O)C</chem>	447	38
<b>Compound 336</b>	<chem>Ic1c2c(O[C@H]([C@H](C2=O)CC)c2cc(O)c(cc2)O)cc(c1)O</chem>	359	38
<b>Compound 337</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC#N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	38
<b>Compound 338</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CO)c1cc(O)c(cc1)O)cc(cc2O)N</chem>	1264	38
<b>Compound 339</b>	<chem>O=C1N[C@@H]([C@@H](Oc2c1c(O)cc(c2)O)c1cc(O)c(cc1)O)CO</chem>	1264	38
<b>Compound 340</b>	<chem>O=C1c2c(O[C@H]([C@H]1C#N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3308	39
<b>Compound 341</b>	<chem>O=C1c2c(O[C@H](C1)c1cc(O)c(cc1)O)cc(cc2C)O</chem>	3239	39
<b>Compound 342</b>	<chem>Sc1c2c(O[C@@H]([C@H](C2=O)C)c2cc(O)c(cc2)O)cc(c1)O</chem>	447	39
<b>Compound 343</b>	<chem>O1c2c(c(O)cc(c2)O)C[C@H]([C@@H]1c1cc(O)c(cc1)O)CO</chem>	1264	39
<b>Compound 344</b>	<chem>O=C1c2c(O[C@H]([C@]1(O)CO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	39

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 345</b>	<chem>O=C1c2c(O[C@H]([C@@H]1COC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	39
<b>Compound 346</b>	<chem>O=C1c2c(O[C@H]([C@H]1OC=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	332	39
<b>Compound 347</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@@H]1CN)c1cc(O)c(cc1)O)O</chem>	2548	39
<b>Compound 348</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)OC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3413	40
<b>Compound 349</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCOC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3413	40
<b>Compound 350</b>	<chem>O=C1c2c(O[C@H]([C@H]1C=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3418	40
<b>Compound 351</b>	<chem>O=C1c2c(O[C@H]([C@]1(O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3412	40
<b>Compound 352</b>	<chem>O=C1c2c(O[C@H]([C@]1(O)[C@@H](O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3412	40
<b>Compound 353</b>	<chem>O=C1c2c(O[C@H]([C@H]1CN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	40
<b>Compound 354</b>	<chem>S(C[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O)C</chem>	359	40
<b>Compound 355</b>	<chem>O=C1c2c(O[C@H]([C@]1(N)CO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	40
<b>Compound 356</b>	<chem>Clc1c2c(O[C@H]([C@@H](C2=O)CN)c2cc(O)c(cc2)O)cc(c1)O</chem>	2548	40
<b>Compound 357</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(=O)N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3495	41
<b>Compound 358</b>	<chem>S(C(=O)[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O)C</chem>	3498	41
<b>Compound 359</b>	<chem>O=C1c2c(O[C@H]([C@]1(N)C=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3503	41
<b>Compound 360</b>	<chem>Clc1c2c(O[C@H]([C@@H](C2=O)C)c2cc(O)c(cc2)O)cc(c1)O</chem>	3519	41
<b>Compound 361</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC=C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	41
<b>Compound 362</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@@H]([C@@H]1c1cc(O)c(cc1)O)CC</chem>	359	41
<b>Compound 363</b>	<chem>FCC[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	41
<b>Compound 364</b>	<chem>O=C1c2c(O[C@H]([C@H]1OC(=O)N)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3431	41
<b>Compound 365</b>	<chem>O=C1c2c(O[C@H]([C@H]1NC=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3431	41
<b>Compound 366</b>	<chem>O=C1c2c(O[C@H]([C@H]1OC(=O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3431	41
<b>Compound 367</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@@H]([C@@H]1c1cc(O)c(cc1)O)OC</chem>	332	41

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 368</b>	<chem>FCCC[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3598	42
<b>Compound 369</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@@H]([C@@H]1c1cc(O)c(cc1)O)C</chem>	3623	42
<b>Compound 370</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(=O)OC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3531	42
<b>Compound 371</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(=O)NC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3531	42
<b>Compound 372</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@@H]([C@@H]1c1cc(O)c(cc1)O)CO</chem>	3602	42
<b>Compound 373</b>	<chem>O=C1c2c(O[C@H]([C@H]1NC(=O)C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3608	42
<b>Compound 374</b>	<chem>SCC[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	42
<b>Compound 375</b>	<chem>O=C1c2c(O[C@H]([C@@]1(N)CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	42
<b>Compound 376</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@H]([C@@H]1c1cc(O)c(cc1)O)CO</chem>	1264	42
<b>Compound 377</b>	<chem>O1c2c(c(O)cc(c2)O)C[C@@H]([C@@H]1c1cc(O)c(cc1)O)C</chem>	3637	43
<b>Compound 378</b>	<chem>O1c2c(c(O)cc(c2)O)C[C@@H]([C@@H]1c1cc(O)c(cc1)O)CO</chem>	3650	43
<b>Compound 379</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C)c1ncc(c(c1)O)O)cc(cc2O)O</chem>	3692	43
<b>Compound 380</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(=O)OCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3642	43
<b>Compound 381</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3642	43
<b>Compound 382</b>	<chem>O=C1c2c(O[C@H]([C@H]1C(=O)NCC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3643	43
<b>Compound 383</b>	<chem>ClCC[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	43
<b>Compound 384</b>	<chem>Sc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)CO</chem>	1264	43
<b>Compound 385</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CN)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	2548	43
<b>Compound 386</b>	<chem>O1c2c(c(O)cc(c2)O)[C@H]([C@H]([C@@H]1c1cc(O)c(cc1)O)O)C</chem>	1231	43
<b>Compound 387</b>	<chem>O=C1c2c(O)cc(cc2C[C@H]([C@H]1C(=O)O)c1cc(O)c(cc1)O)O</chem>	3739	44
<b>Compound 388</b>	<chem>O1c2c(c(O)cc(c2)O)[C@@]([C@H]([C@@H]1c1cc(O)c(cc1)O)O)(O)C</chem>	3814	44
<b>Compound 389</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C)c1cc(c(cc1)O)C)cc(cc2O)O</chem>	3812	44
<b>Compound 390</b>	<chem>BrCC[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	44

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 391</b>	<chem>O=C1c2c(O[C@H]([C@H]1CC#C)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	359	44
<b>Compound 392</b>	<chem>Sc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@@H]1CC)c(O)cc(c2)O</chem>	359	44
<b>Compound 393</b>	<chem>O=C1c2c(O[C@H]([C@H]1OCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	332	44
<b>Compound 394</b>	<chem>Clc1cc2O[C@@H](c3cc(O)c(cc3)O)[C@@H](C(=O)c2c(c1)O)CN</chem>	2548	44
<b>Compound 395</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=C)[C@H]1O)c(O)cc(c2)O</chem>	1231	44
<b>Compound 396</b>	<chem>O=C1c2c(O[C@H]([C@H]1OCCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3901	45
<b>Compound 397</b>	<chem>BrCCC[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3881	45
<b>Compound 398</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CNO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	45
<b>Compound 399</b>	<chem>FCO[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	332	45
<b>Compound 400</b>	<chem>O=C1c2c(O[C@H]([C@]1(O)CN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2548	45
<b>Compound 401</b>	<chem>Fc1c(O)ccc(c1)[C@@H]1Oc2c(C(=O)[C@H]1CN)c(O)cc(c2)O</chem>	2548	45
<b>Compound 402</b>	<chem>O1c2c(C(=C)[C@H]([C@@H]1c1cc(O)c(cc1)O)O)c(cc(c2)O)C</chem>	1231	45
<b>Compound 403</b>	<chem>Oc1c2C(=C)[C@@H](O)[C@@H](Cc2cc(c1)O)c1cc(O)c(cc1)O</chem>	1231	45
<b>Compound 404</b>	<chem>O=C1c2c(O[C@H]([C@H]1OCC(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3917	46
<b>Compound 405</b>	<chem>O=C1c2c(O[C@H]([C@H]1OCCCCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3917	46
<b>Compound 406</b>	<chem>O=C1c2c(OC[C@@]1(O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4007	46
<b>Compound 407</b>	<chem>Sc1c2c(O[C@H]([C@@H](C2=O)CO)c2cc(O)c(cc2)O)cc(c1)O</chem>	1264	46
<b>Compound 408</b>	<chem>Br1c2c(O[C@H]([C@H](C2=O)OC)c2cc(O)c(cc2)O)cc(c1)O</chem>	332	46
<b>Compound 409</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CNC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2548	46
<b>Compound 410</b>	<chem>Ic1c2c(O[C@H]([C@@H](C2=O)CN)c2cc(O)c(cc2)O)cc(c1)O</chem>	2548	46
<b>Compound 411</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CN)c1cc(O)c(cc1)O)cc(cc2O)C</chem>	2548	46
<b>Compound 412</b>	<chem>O=C1C(=C)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1231	46
<b>Compound 413</b>	<chem>Oc1c2c(N[C@H]([C@@H](C2=C)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1231	46

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 414</b>	<chem>O=C1c2c(O[C@H]([C@@]1(O)C(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3739	46
<b>Compound 415</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)NC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4084	47
<b>Compound 416</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCNC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4084	47
<b>Compound 417</b>	<chem>O=C1c2c(O[C@H]([C@H]1CCC(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4021	47
<b>Compound 418</b>	<chem>O=C1c2c(OC[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4036	47
<b>Compound 419</b>	<chem>O=C(c1c(OC)cc(cc1O)O)[C@H](O)c1cc(O)c(cc1)O</chem>	4036	47
<b>Compound 420</b>	<chem>Ic1c2c(O[C@H]([C@@H](C2=O)C)c2cc(O)c(cc2)O)cc(c1)O</chem>	4086	47
<b>Compound 421</b>	<chem>O=C1c2c(O[C@H]([C@@H]1COO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	47
<b>Compound 422</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CON)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	1264	47
<b>Compound 423</b>	<chem>O=C(c1c(OC)cc(cc1O)O)[C@@H](c1cc(O)c(cc1)O)C</chem>	4120	48
<b>Compound 424</b>	<chem>O=C1Oc2c(C(=O)[C@@H]1c1cc(O)c(cc1)O)c(O)cc(c2)O</chem>	4118	48
<b>Compound 425</b>	<chem>O=C(c1c(O)cc(cc1O)O)[C@H](c1cc(O)c(cc1)O)C</chem>	4118	48
<b>Compound 426</b>	<chem>O=C1c2c(O)cc(cc2CC[C@H]1c1cc(O)c(cc1)O)O</chem>	4118	48
<b>Compound 427</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCOO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4186	48
<b>Compound 428</b>	<chem>O=C1c2c(O[C@H]([C@@H]1COCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4186	48
<b>Compound 429</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4106	48
<b>Compound 430</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)CC)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4106	48
<b>Compound 431</b>	<chem>O=C1c2c(O[C@H]([C@H]1c1cc(O)c(cc1)O)C)cc(cc2O)O</chem>	4120	48
<b>Compound 432</b>	<chem>Clc1c2c(O[C@H]([C@@H](C2=C)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1231	48
<b>Compound 433</b>	<chem>O=C(c1c(O)cc(cc1O)O)[C@H](c1cc(O)c(cc1)O)CC</chem>	4269	49
<b>Compound 434</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)OCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4228	49
<b>Compound 435</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCOCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4228	49
<b>Compound 436</b>	<chem>O=C1c2c(O[C@H]([C@@H]1COCCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4228	49

**SIMPLIFIED MOLECULAR INPUT LINE ENTRY SYSTEM AND EVOLUTIONARY  
INFORMATION OF GENERATED NOVEL ANALOGUES OF TAXIFOLIN**

<b>Compound 437</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CNCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4228	49
<b>Compound 438</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCCCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4241	49
<b>Compound 439</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCC(=O)O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4241	49
<b>Compound 440</b>	<chem>O=C1c2c(O[C@H]([C@H]1c1cnc(c(c1)O)O)C)cc(cc2O)O</chem>	4269	49
<b>Compound 441</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CNN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	2548	49
<b>Compound 442</b>	<chem>Ic1c2c(O[C@H]([C@@H](C2=C)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1231	49
<b>Compound 443</b>	<chem>S(=O)(=O)(O)[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3739	49
<b>Compound 444</b>	<chem>O=C1c2c(O[C@H]([C@@H]1C(=O)NN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4392	50
<b>Compound 445</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CCNN)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4392	50
<b>Compound 446</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CNCCO)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4331	50
<b>Compound 447</b>	<chem>O=C1c2c(O[C@H]([C@@H]1CNC=O)c1cc(O)c(cc1)O)cc(cc2O)O</chem>	4331	50
<b>Compound 448</b>	<chem>O=C1c2c(OC[C@H]1Cc1cc(O)c(cc1)O)cc(cc2O)O</chem>	4120	50
<b>Compound 449</b>	<chem>SC(=O)O[C@H]1C(=O)c2c(O[C@H]1c1cc(O)c(cc1)O)cc(cc2O)O</chem>	3431	50
<b>Compound 450</b>	<chem>BrC1c2c(O[C@H]([C@@H](C2=C)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	1231	50
<b>Compound 451</b>	<chem>O1c2c(c(O)cc(c2)O)C(=C)[C@H]([C@@H]1c1cc(O)c(cc1)O)C</chem>	1231	50
<b>Compound 452</b>	<chem>Clc1c2c(O[C@H]([C@H](C2=O)C(=O)O)c2cc(O)c(cc2)O)cc(c1)O</chem>	3739	50