

Review

Not peer-reviewed version

From Normal to Pathological in Epidermal Compounds

[ANTONELLA CHESCA](#)*

Posted Date: 15 January 2024

doi: 10.20944/preprints202401.0665.v2

Keywords: epiderm, compounds, analyse, alterations, melanocytic nevi



Preprints.org is a free multidiscipline platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Review

From Normal to Pathological in Epidermal Compounds

Antonella Chesca

Transilvania University of Brasov, Romania

Abstract: The aim of the study is to identify structural characteristics of melanocytic nevi. In this context using microscope, could be possible a good description related melanocytic nevi, referring to youth patients. Knowing the risk factors, one of the research direction is to have in attention the management options for melanocytic nevi. In this direction, implication of an interprofessional team strategies is one of the proper condition. Future directions refers to preventive and prophylactic methods.

Keywords: epiderm; compounds; analyse; alterations; melanocytic nevi

Introduction

In order to define a disease, must have in attention a lot of different factors such as historical points, or social and cultural, but not only. Good to mention that in a human individual life, play a significant role, genetic, epigenetic, microbiomic, and proteomic factors together with others. Results of research studies, show us that some connective cells such as fibroblasts, lose their identity, in pathological conditions. [1] Another specific cells, namely melanocytes are known that having a specific structural point that is consider important in structural pathological description. [2]

Referring to melanocytic nevi, in medical specific field, various pigmented lesions of the epiderm, known as nevi, could be observe in different part of the body, specific for pathology including solar lentigo. [3] In medical analyse, an atypical nevus, can be biopsied. [4]

Is important to practice a biopsy beside the extended clinical evaluation in melanocytic nevi. Specialists, are usually looking also for changes that surrounding nevi. Related to melanocytic nevi, in some circumstances, could be possible that the prognosis be poor having in attention the healthy of the patients having comorbidities. A great point in this field of research, could be possible the genetic susceptibility. [5] A complete medical examination, play a great point for establishing the medical conduct, for healthy status improving. [6,7]

Structural analysis describe specific cells namely melanocytes as aggregated in 'nests', which conduct forming the nevus cells. [8] To the human persons with different age, this specific cells knowing as melanocytes could be found in various areas of the skin of the parts of the body. [9,10] Theoretical and practical studies, show that melanocytic nevi developing *in utero* present genetical differences from those that appear later. [11,12] From scientific literature, that are known informations, referring to specific nevi. [13] Also from literature and from practicum are known different informatiuons about extending melanocytic *nevi*, having specific scientific names. [14] We can mention that currently, because are many cases in all of the world, the proper treatment of epidermal nevi is challenging. [15–18]

Material and methods

For the purpose of the study we can mention a little bit about laboratory technique used and about the materials needed. From the realization of permanent microscopic preparations was knowing the steps from the classic method, using a standard Hematoxylin & Eosin staining technique. The samples were drawn from male and female gender patients, children before mature age, from

urban and rural home environment. In order to assist medical staff in understanding the concerns outlined, a series of digital images have been prepared. The operative pieces are intended to bring in the pathological anatomy service for macroscopic examination for diagnostic purposes. This are examined by performing the microscopic analysis.

Results

Skin protect us during the life, from different factors. For epiderm analyse, structural and ultrastructural characteristics could be able to be describes, using optical and electron microscope. Structural analyse of the epiderm, using colour laboratory techniques, is able to describe the specific layers with their characteristics. Using electron microscope, filaggrin knowing as an important epidermal protein and tight junction located in the granular layer of the epiderm, could be observed. For this purpose, transmission electron microscope examination, is consider one proper method for analyse. Scanning electron microscopy is also a modern method for analyse, which offer results that demonstrate abnormalities in the epiderm ultrastructure. (Figure 1) The body is covers by skin and the epiderm contein differents types of glands, as sebaceous glands and sudoripar glands. It is known a specific physiopathologic mechanism in the functionality of the body and epidermal compounds and their body sorroundings.




Figure 1. Methods for epiderm analyse.

Histopathological analyse describe to the melanocytic nevi located on various regions of the body, with asymmetry, irregular form, cytologic atypia, and mitotic activity. Medical specialists, describe and conclude that to benign melanocytic nevi, could be possible to describe atypical pathological characteristics and more important good to mention characteristics when benign nevi are traumatized. (Figure 2) Dermoscopy play a role for a proper diagnostic important in practice to all ages, including, youth age and children.



Figure 2. Changes in epiderm compounds- from normal to pathological.

Discussions

Great interest in knowing epidermal compounds. So, the epiderm, is composed of a number of specific lyers. Specific cells are known. One of the role of the epiderm is implication in differents injuries. Alterations in the compounds of the epiderm layers, contribute to the visual signs of pathologic conditions. One research direction, refer to the role of benign melanocytic lesions with alterations, which conduct to malignant cutanat melanoma.

Conclusions

Prevention and educational methods, are important. More than early detection in melanocytic nevi is a great point in order to try to treat and to avoid maybe possible malignancy degeneration.

References

1. Salzer M.C., Lafzi A., Berenguer-Llergo A., Youssif C., Castellanos A., Solanas G., Peixoto F.O., Stephan-Otto Attolini C., Prats N., Aguilera M., Martín-Caballero J., Heyn H., Benitah S.A. Identity noise and adipogenic traits characterize dermal fibroblast aging. *Cell*. 2018;175:1575–1590.e22.
2. Palicka GA, Rhodes AR. Acral melanocytic nevi: prevalence and distribution of gross morphologic features in white and black adults. *Arch Dermatol*. 2010 Oct;146(10):1085-94.
3. Wang M, Xu Y, Wang J, Cui L, Wang J, Hu XB, Jiang HQ, Hong ZJ, Yuan SM. Surgical Management of Plantar Melanoma: A Retrospective Study in One Center. *J Foot Ankle Surg*. 2018 Jul-Aug;57(4):689-693.
4. Richtig E. ASCO Congress 2018: melanoma treatment. *Memo*. 2018;11(4):261-265.
5. Wang B, Qu XL, Chen Y. Identification of the potential prognostic genes of human melanoma. *J Cell Physiol*. 2019 Jun;234(6):9810-9815.
6. Bristow I, Bower C. Melanoma of the Foot. *Clin Podiatr Med Surg*. 2016 Jul;33(3):409-22.
7. Lallas A, Kyrgidis A, Koga H, Moscarella E, Tschandl P, Apalla Z, Di Stefani A, Ioannides D, Kittler H, Kobayashi K, Lazaridou E, Longo C, Phan A, Saida T, Tanaka M, Thomas L, Zalaudek I, Argenziano G. The BRAAFF checklist: a new dermoscopic algorithm for diagnosing acral melanoma. *Br J Dermatol*. 2015 Oct;173(4):1041-9.
8. Tronnier M. Melanotische Flecke und melanozytäre Nävi. In: Plewig G, Ruzicka T, Kaufmann R, Hertl M. *Braun-Falcos Dermatol. Venerol. Allergol*. Springer Berlin Heidelberg, 7. Auflage, 2016.
9. Tolleson WH. Human Melanocyte Biology, Toxicology, and Pathology. *J Environ Sci Health Part C* 2005; 23: 105–61.
10. Thomas AJ, Erickson CA. The making of a melanocyte: the specification of melanoblasts from the neural crest. *Pigment Cell Melanoma Res* 2008; 21: 598–610.
11. Colebatch AJ, Ferguson P, Newell F et al. Molecular genomic profiling of melanocytic nevi. *J Invest Dermatol* 2019; 139: 1762–8.
12. Kinsler VA, Thomas AC, Ishida M et al. Multiple congenital melanocytic nevi and neurocutaneous melanosis are caused by postzygotic mutations in codon 61 of NRAS. *J Invest Dermatol* 2013; 133: 2229–36.
13. Bandyopadhyay D. Halo nevus. *Indian Pediatr* 2014; 51: 850.
14. Fernandez-Flores A. Eponyms, Morphology, and Pathogenesis of some less mentioned types of melanocytic nevi. *Am J Dermatopathol* 2012; 34: 607–18.
15. Kim JJ (Department of Dermatology, Henry Ford Health System, Detroit, MI 48202, USA), Chang MW, Shwayder T. Topical tretinoin and 5-fluorouracil in the treatment of linear verrucous epidermal nevus. *J Am Acad Dermatol*. 2000 Jul;43(1 Pt 1):129–132.
16. Brown HM, Gorlin RJ. Oral mucosal involvement in nevus unius lateris (Ichthyosis Hysterix). *Arch Dermatol*. 1960 Apr;81:509–515.
17. Zvulunov A (Soroka Medical Center, Ben-Gurion University, Beer-Sheva Israel), Grunwald MH, Halvy S. Topical calcipotriol for treatment of inflammatory linear verrucous epidermal nevus. *Arch Dermatol*. 1997 May;133(5):567–568.
18. Boyce S (Washington Institute of Dermatologic Laser Surgery, Washington, DC 20037, USA), Alster T. CO2 laser treatment of epidermal nevi: Long-term success. *Dermatol Surg*. 2002 Jul;28(7):611–614.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.