

Supplementary Material

Analyzing the effect of age, time of the day and the experiment on the basal locomotor activity and light-off visual motor response assays in zebrafish larvae

Niki Tagkalidou, Cristiana Roberta Multisanti, Maria Jose Bleda, Juliette Bedrossiantz, Eva Prats, Caterina Faggio, Carlos Barata, Demetrio Raldúa

Supplementary Figures




Figure S1. Understanding the 3-way interaction between age, hours and the experiment for BLA and VMR in the RE linear regression model.

Supplementary Tables

Table S1. Random-Effects (RE) linear regression model estimation using generalized least squares (GLS) for BLA and VMR variables. Main effects, full two-way interactions and the three-way interaction included.

Variables	Coef.	BLA (95% CI)	Coef.	VMR† (95% CI)
Age [days]				
5	0.73	(-9.12 ; 10.57)	-5.78 *	(-11.33 ; -0.24)
6	15.98 *	(6.14 ; 25.83)	-3.62	(-8.42 ; 1.18)
7	6.80	(-3.04 ; 16.65)	-0.06	(-4.86 ; 4.74)
8 (Ref.)				
Time [hours]				
8:00 (Ref.)				
10:00	-12.24 *	(-22.09 ; -2.40)	-5.31 °	(-10.86 ; 0.23)
12:00	-9.93 *	(-19.78 ; -0.09)	-4.97 °	(-10.52 ; 0.58)
14:00	-0.52	(-10.36 ; 9.33)	-7.08 *	(-12.63 ; -1.54)
16:00	-7.14	(-16.99 ; 2.70)	-5.42 *	(-10.97 ; 0.13)
18:00	-14.71 *	(-24.56 ; -4.87)	-3.04	(-8.60 ; 2.51)
20:00	-23.75 *	(-33.59 ; -13.90)	-1.35	(-6.15 ; 3.46)
Experiment				
1 (Ref.)				
2	-6.14	(-16.81 ; 4.53)	0.12	(-4.82 ; 5.06)
3	-14.96 *	(-25.69 ; -4.23)	-1.99	(-7.66 ; 3.69)
Day # Time				
5 10:00	36.78 *	(22.85 ; 50.70)	6.71 *	(0.52 ; 12.91)
5 12:00	-0.66	(-14.58 ; 13.27)	6.76 *	(0.57 ; 12.96)
5 14:00	-10.12	(-24.04 ; 3.81)	8.14 *	(1.94 ; 14.34)
5 16:00	10.07	(-3.86 ; 23.99)	5.77 °	(-0.43 ; 11.97)
5 18:00	0.21	(-13.71 ; 14.14)	6.62 *	(0.41 ; 12.82)
5 20:00	8.21	(-5.71 ; 22.13)	7.25 *	(1.71 ; 12.79)
6 10:00	1.83	(-12.09 ; 15.75)	5.11 °	(-0.43 ; 10.65)
6 12:00	-1.04	(-14.96 ; 12.89)	5.11 °	(-0.43 ; 10.65)
6 14:00	-14.84 *	(-28.77 ; -0.92)	4.78 °	(-0.76 ; 10.32)
6 16:00	-5.19	(-19.11 ; 8.74)	2.83	(-2.71 ; 8.37)
6 18:00	-8.87	(-22.79 ; 5.06)	1.87	(-3.68 ; 7.42)
6 20:00	-11.03	(-24.95 ; 2.89)	3.53 °	(-0.39 ; 7.45)
7 10:00	4.32	(-9.61 ; 18.24)	0.11	(-5.43 ; 5.65)
7 12:00	-0.84	(-14.76 ; 13.08)	0.50	(-5.04 ; 6.05)
7 14:00	-9.56	(-23.48 ; 4.36)	2.50	(-3.04 ; 8.05)
7 16:00	-0.61	(-14.53 ; 13.31)	1.16	(-4.38 ; 6.70)
7 18:00	-6.06	(-19.98 ; 7.86)	-0.42	(-5.96 ; 5.13)
7 20:00	-1.10	(-15.02 ; 12.83)	1.65	(-2.26 ; 5.56)
Day # Experiment				
5 2	12.34 °	(-1.59 ; 26.26)	5.14 °	(-0.41 ; 10.70)
5 3	12.86 °	(-1.14 ; 26.86)	6.10 *	(-0.12 ; 12.32)
6 2	12.18 °	(-1.75 ; 26.10)	2.49	(-1.44 ; 6.42)
6 3	-2.45	(-16.44 ; 11.55)	8.04 *	(2.48 ; 13.61)
7 2	-8.10	(-22.03 ; 5.82)	-0.81	(-4.74 ; 3.12)
7 3	-8.18	(-22.18 ; 5.81)	4.79 °	(-0.77 ; 10.36)
Time # Experiment				
10:00 2	20.50 *	(6.58 ; 34.42)	1.48	(-4.06 ; 7.03)
10:00 3	20.78 *	(6.78 ; 34.78)	2.84	(-3.38 ; 9.07)
12:00 2	23.57 *	(9.65 ; 37.49)	0.10	(-5.45 ; 5.65)
12:00 3	29.54 *	(15.54 ; 43.54)	0.92	(-5.32 ; 7.16)
14:00 2	-2.31	(-16.23 ; 11.62)	4.77 °	(-0.78 ; 10.32)
14:00 3	16.23 *	(2.24 ; 30.23)	2.95	(-3.29 ; 9.19)
16:00 2	39.75 *	(25.83 ; 53.67)	4.51	(-1.04 ; 10.06)
16:00 3	22.36 *	(8.36 ; 36.36)	3.71	(-2.51 ; 9.93)
18:00 2	9.21	(-4.71 ; 23.14)	2.46	(-3.10 ; 8.01)
18:00 3	17.85 *	(3.85 ; 31.85)	3.63	(-2.63 ; 9.88)
20:00 2	7.74	(-6.18 ; 21.66)	-0.08	(-4.01 ; 3.84)
20:00 3	(n.e.)		(n.e.)	
Day # Time # Experiment				
5 10:00 2	-45.05 *	(-64.74 ; -25.36)	-4.92	(-11.71 ; 1.88)
5 10:00 3	-43.88 *	(-63.67 ; -24.09)	-10.10 *	(-17.47 ; -2.73)
5 12:00 2	-11.01	(-30.70 ; 8.68)	-3.62	(-10.41 ; 3.17)
5 12:00 3	-8.85	(-28.64 ; 10.95)	-5.52	(-12.90 ; 1.86)
5 14:00 2	14.03	(-5.66 ; 33.72)	-5.82 °	(-12.62 ; 0.98)
5 14:00 3	2.22	(-17.57 ; 22.02)	-4.66	(-12.04 ; 2.72)
5 16:00 2	-47.41 *	(-67.10 ; -27.72)	-6.06 °	(-12.85 ; 0.74)
5 16:00 3	-21.75 *	(-41.55 ; -1.96)	-3.52	(-10.88 ; 3.84)
5 18:00 2	-15.29	(-34.98 ; 4.40)	-5.65	(-12.45 ; 1.14)
5 18:00 3	-16.01	(-35.81 ; 3.78)	-3.41	(-10.81 ; 3.99)
5 20:00 2	-20.82 *	(-40.51 ; -1.13)	-6.75 *	(-12.30 ; -1.21)
5 20:00 3	(n.e.)		(n.e.)	
6 10:00 2	-18.54 °	(-38.23 ; 1.15)	-3.30	(-8.84 ; 2.24)
6 10:00 3	-1.49	(-21.29 ; 18.30)	-6.82 *	(-13.64 ; 0.00)
6 12:00 2	-6.89	(-26.58 ; 12.80)	-1.36	(-6.90 ; 4.18)
6 12:00 3	3.97	(-15.83 ; 23.76)	-5.56	(-12.40 ; 1.27)
6 14:00 2	3.41	(-16.28 ; 23.10)	-4.16	(-9.71 ; 1.38)
6 14:00 3	16.13	(-3.66 ; 35.93)	-3.58	(-10.43 ; 3.27)
6 16:00 2	-35.14 *	(-54.83 ; -15.45)	-3.45	(-8.99 ; 2.09)
6 16:00 3	12.00	(-7.79 ; 31.80)	-4.06	(-10.89 ; 2.76)
6 18:00 2	-15.27	(-34.96 ; 4.42)	0.93	(-4.62 ; 6.48)
6 18:00 3	21.53 *	(1.74 ; 41.33)	-5.02	(-11.86 ; 1.83)
6 20:00 2	1.74	(-17.95 ; 21.43)	(n.e.)	
6 20:00 3	(n.e.)		(n.e.)	
7 10:00 2	1.42	(-18.27 ; 21.11)	0.92	(-4.62 ; 6.46)
7 10:00 3	-0.08	(-19.88 ; 19.71)	-4.21	(-11.04 ; 2.61)
7 12:00 2	9.73	(-9.96 ; 29.42)	1.58	(-3.97 ; 7.12)
7 12:00 3	1.12	(-18.68 ; 20.91)	-3.55	(-10.40 ; 3.29)
7 14:00 2	25.89 *	(6.20 ; 45.58)	-2.01	(-7.55 ; 3.53)
7 14:00 3	9.93	(-9.86 ; 29.73)	-1.76	(-8.60 ; 5.09)
7 16:00 2	-12.49	(-32.20 ; 7.23)	-3.55	(-9.09 ; 1.99)
7 16:00 3	6.57	(-13.23 ; 26.36)	-3.33	(-10.15 ; 3.49)
7 18:00 2	14.91	(-4.81 ; 34.62)	-0.40	(-5.95 ; 5.14)
7 18:00 3	11.09	(-8.70 ; 30.89)	-2.16	(-9.01 ; 4.69)
7 20:00 2	4.91	(-14.78 ; 24.60)	(n.e.)	
7 20:00 3	(n.e.)		(n.e.)	
Constant	133.35 *	(125.81 ; 140.90)	15.49 *	(10.23 ; 20.74)
Sigma_u	10.28		2.79	
Sigma_e	24.60		6.89	
p	0.1487		0.1408	
R²within	18.84%		8.17%	
R²between	6.15%		8.95%	
R²	16.80%		8.40%	

† VMR restricted to the interval [-25;50]; * $P \leq 0.05$; ° $0.05 < P \leq 0.10$; a#b means interaction between a and b variables; (Ref.) means reference category; ρ is the fraction of the error variance due to the differences between individuals (Intraclass Correlation of the error); R^2_{Within} , R^2_{Between} and R^2 and are the within, between and global correlations squared expressed in percentages; n.e. means not estimable.

Table S2. Pairwise comparisons of predictive margins of BLA for age. Differences and P-values corrected using the Bonferroni method to account for multiple comparisons.

Age		Predictive Margins	A		
			6	7	8
			141.16	131.06	127.91
B	5	132.39	8.77 [†] 0.000*	-1.33 1.000	-4.48 0.000*
	6	141.16		-10.10 0.000*	-13.25 0.000*
	7	131.06			-3.15 0.031*

Note. [†] Difference between the predictive margins (A-B); * $P \leq 0.05$; ° $0.05 < P \leq 0.10$; Shaded cells indicate non-statistically significant differences.

Table S3. Pairwise comparisons of predictive margins of BLA for time of the day. Differences and P-values corrected using the Bonferroni method to account for multiple comparisons.

Time of the day		Predictive Margins	A					
			10:00	12:00	14:00	16:00	18:00	20:00
			137.06	139.87	135.18	140.18	124.42	115.58
B	8:00	133.81	3.25[†] 0.536	6.06 0.001*	1.37 1.000	6.37 0.000*	-9.39 0.000*	-18.23 0.000*
	10:00	137.06		2.81 1.000	-1.88 1.000	3.12 0.672	-12.64 0.000*	-21.48 0.000*
	12:00	139.87			-4.69 0.027*	0.31 1.000	-15.45 0.000*	-24.29 0.000*
	14:00	135.18				5.00 0.012*	-10.76 0.000*	-19.60 0.000*
	16:00	140.18					-15.76 0.000*	-24.60 0.000*
	18:00	124.42						-8.84 0.000*

Note. [†] Difference between the predictive margins (A-B); * P ≤ 0.05; ° 0.05 < P ≤ 0.10; Shaded cells indicate non-statistically significant differences.

Table S4. Pairwise comparisons of predictive margins of BLA for time of the day and age. Differences and P-values corrected using the Bonferroni method to account for multiple comparisons.

DAY 5	Time of the day		A					
			10:00	12:00	14:00	16:00	18:00	20:00
	Predictive Margins		144.17	135.89	134.83	136.02	119.53	115.10
B	8:00	135.47	8.70 [†] 0.058°	0.42 1.000	-0.64 1.000	0.55 1.000	-15.94 0.000*	-20.37 0.000*
	10:00	144.17		-8.28 0.094°	-9.34 0.028*	-8.15 0.107	-24.64 0.000*	-29.07 0.000*
	12:00	135.89			-1.06 1.000	0.13 1.000	-16.36 0.000*	-20.79 0.000*
	14:00	134.83				1.19 1.000	-15.30 0.000*	-19.73 0.000*
	16:00	136.02					-16.49 0.000*	-20.92 0.000*
	18:00	119.53						-4.43 1.000
DAY 6	Predictive Margins		142.23	151.28	141.29	146.15	132.97	122.32
B	8:00	145.64	-3.41 [†] 1.000	5.64 1.000	-4.35 1.000	0.51 1.000	-12.67 0.000*	-23.32 0.000*
	10:00	142.23		9.05 0.039*	-0.94 1.000	3.92 1.000	-9.26 0.031*	-19.91 0.000*
	12:00	151.28			-9.99 0.012*	-5.13 1.000	-18.31 0.000*	-28.96 0.000*
	14:00	141.29				4.86 1.000	-8.32 0.090°	-18.97 0.000*
	16:00	146.15					-13.18 0.000*	-23.83 0.000*
	18:00	132.97						-10.65 0.026*
DAY 7	Predictive Margins		134.00	138.25	134.20	138.63	124.57	114.51
B	8:00	127.76	6.24 0.673	10.49 0.007*	6.44 0.566	10.87 0.004*	-3.19 1.000	-13.25 0.001*
	10:00	134.00		4.25 1.000	0.20 1.000	4.63 1.000	-9.43 0.025*	-19.49 0.000*
	12:00	138.25			-4.05 1.000	0.38 1.000	-13.68 0.000*	-23.74 0.000*
	14:00	134.20				4.43 1.000	-9.63 0.020*	-19.69 0.000*
	16:00	138.63					-14.06 0.000*	-24.12 0.000*
	18:00	124.57						-10.06 0.050*
DAY 8	Predictive Margins		127.84	134.06	130.42	139.92	120.62	110.40
B	8:00	126.37	1.47 1.000	7.69 0.174	4.05 1.000	13.55 0.000*	-5.75 1.000	-15.97 0.000*
	10:00	127.84		6.22 0.686	2.58 1.000	12.08 0.001*	-7.22 0.274	-17.44 0.000*
	12:00	134.06			-3.64 1.000	5.86 0.922	-13.44 0.000*	-23.66 0.000*
	14:00	130.42				9.50 0.023*	-9.80 0.016*	-20.02 0.000*
	16:00	139.92					-19.30 0.000*	-29.52 0.000*
	18:00	120.62						-10.22 0.042*

Note. [†] Difference between the predictive margins (A-B); * P ≤ 0.05; ° 0.05 < P ≤ 0.10; Shaded cells indicate non-statistically significant differences.

Table S5. Pairwise comparisons of predictive margins of VMR for age. Differences and P-values corrected using the Bonferroni method to account for multiple comparisons.

Age			A		
			6	7	8
Predictive Margins		13.42	13.07	12.13	
B	5	12.95	0.47[†] 0.839	0.12 1.000	-0.82 0.066 [°]
	6	13.42		-0.35 1.000	-1.29 0.000*
	7	13.07			-0.94 0.024*

Note. [†] Difference between the predictive margins (A-B); * $P \leq 0.05$; [°] $0.05 < P \leq 0.10$; Shaded cells indicate non-statistically significant differences.

Table S6. Pairwise comparisons of predictive margins of VMR for time of the day. Differences and P-values corrected using the Bonferroni method to account for multiple comparisons.

Time of the day		Predictive Margins	A					
			10:00	12:00	14:00	16:00	18:00	20:00
			11.39	11.62	12.14	12.38	14.32	14.91
B	8:00	14.48	-3.09[†] 0.000*	-2.86 0.000*	-2.34 0.000*	-2.10 0.000*	-0.16 1.000	0.43 1.000
	10:00	11.39		0.23 1.000	0.75 1.000	0.99 0.337	2.93 0.000*	3.52 0.000*
	12:00	11.62			0.52 1.000	0.76 1.000	2.70 0.000*	3.29 0.000*
	14:00	12.14				0.24 1.000	2.18 0.000*	2.77 0.000*
	16:00	12.38					1.94 0.000*	2.53 0.000*
	18:00	14.32						0.59 1.000

Note. [†] Difference between the predictive margins (A-B); * P ≤ 0.05; ° 0.05 < P ≤ 0.10; Shaded cells indicate non-statistically significant differences.

Table S7. Pairwise comparisons of predictive margins of VMR for time of the day and age. Differences and P-values corrected using the Bonferroni method to account for multiple comparisons.

DAY 5	Time of the day		A					
			10:00	12:00	14:00	16:00	18:00	20:00
	Predictive Margins		10.70	11.93	12.96	12.70	15.37	14.82
B	8:00	13.45	-2.75 [†] 0.022*	-1.52 1.000	-0.49 1.000	-0.75 1.000	1.92 0.477	1.37 1.000
	10:00	10.70		1.23 1.000	2.26 0.122	2.00 0.305	4.67 0.000*	4.12 0.000*
	12:00	11.93			1.03 1.000	0.77 1.000	3.44 0.001*	2.89 0.038*
	14:00	12.96				-0.26 1.000	2.41 0.072°	1.86 0.950
	16:00	12.70					2.67 0.024*	2.12 0.466
	18:00	15.37						-0.55 1.000
			Predictive Margins	12.61	12.92	12.38	12.36	14.23
B	8:00	15.30	-2.71 [†] 0.025*	-2.38 0.088°	-2.92 0.010*	-2.94 0.009*	-1.07 1.000	0.02 1.000
	10:00	12.61		0.31 1.000	-0.23 1.000	-0.25 1.000	1.62 0.971	2.71 0.074°
	12:00	12.92			-0.54 1.000	-0.56 1.000	1.31 1.000	2.40 0.206
	14:00	12.38				-0.02 1.000	1.85 0.508	2.94 0.034*
	16:00	12.36					1.87 0.473	2.96 0.032*
	18:00	14.23						1.09 1.000
			Predictive Margins	11.26	11.35	12.83	12.29	13.80
B	8:00	n.e.						
	10:00	11.26		0.09 1.000	1.57 1.000	1.03 1.000	2.54 0.041*	4.08 0.000*
	12:00	11.35			1.48 1.000	0.94 1.000	2.45 0.059°	3.99 0.000*
	14:00	12.83				-0.54 1.000	0.97 1.000	2.51 0.143
	16:00	12.29					1.51 1.000	3.05 0.021*
	18:00	13.80						1.54 1.000
			Predictive Margins	10.99	10.25	10.37	12.19	13.85
B	8:00	n.e.						
	10:00	10.99		-0.74 1.000	-0.62 1.000	1.20 1.000	2.86 0.011*	3.17 0.014*
	12:00	10.25			0.12 1.000	1.94 0.380	3.60 0.000*	3.91 0.001*
	14:00	10.37				1.82 0.570	3.48 0.001*	3.79 0.001*
	16:00	12.19					1.66 0.929	1.97 0.708
	18:00	13.85						0.31 1.000
			Predictive Margins	10.99	10.25	10.37	12.19	13.85

Note. [†] Difference between the predictive margins (A-B); * $P \leq 0.05$; ° $0.05 < P \leq 0.10$; n.e.: not estimable. Shaded cells indicate non-statistically significant differences.