



RT: 0.00 - 4.25

NL:
1.05E6
TIC MS
Selwan-39A



Selwan-39A #170 RT: 0.61 AV: 1 NL: 7.11E4

T: {0,0} + c EI Full ms [50.00-1000.00]



Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
51.11	549.7	0.77
52.10	0.0	0.00
52.90	66.2	0.09
53.81	47.5	0.07
55.07	4.1	0.01
57.11	0.0	0.00
58.25	0.0	0.00
59.23	0.1	0.00
60.10	1.7	0.00
61.18	5.8	0.01
62.37	0.0	0.00
63.39	0.1	0.00
64.01	46.2	0.06
64.75	394.3	0.55
65.65	1.7	0.00
66.67	1.8	0.00
67.27	0.0	0.00
68.22	354.2	0.50
68.80	5.8	0.01
69.90	771.4	1.08
70.95	0.0	0.00
72.02	0.2	0.00
72.70	346.7	0.49
73.56	0.1	0.00
74.35	0.3	0.00
75.37	9.8	0.01
76.34	688.4	0.97
77.01	4755.4	6.69
77.82	672.6	0.95
79.24	251.1	0.35
80.09	16.7	0.02
81.49	485.2	0.68
82.23	40.4	0.06
83.03	1100.0	1.55
84.09	2041.7	2.87
85.23	35.9	0.05
86.02	99.1	0.14
86.88	0.0	0.00
87.90	36.8	0.05
89.16	3805.9	5.35
90.02	3247.5	4.57
90.54	742.7	1.04
91.14	215.4	0.30
91.97	1.4	0.00
92.49	0.3	0.00
93.58	11.4	0.02
94.93	254.3	0.36
96.01	1885.9	2.65
97.00	2791.9	3.93
97.80	0.2	0.00
98.92	0.2	0.00
99.84	0.0	0.00
100.65	222.7	0.31
101.21	2.1	0.00
102.10	10.8	0.02

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
103.19	844.9	1.19
104.09	5575.7	7.84
105.07	398.0	0.56
105.94	1396.1	1.96
107.59	369.9	0.52
108.41	37.0	0.05
109.17	2955.7	4.16
109.79	1652.1	2.32
110.85	71128.9	100.00
111.93	4710.9	6.62
112.97	2363.2	3.32
113.65	443.2	0.62
114.24	2.4	0.00
115.04	1396.2	1.96
116.11	433.9	0.61
116.95	4160.0	5.85
118.04	4630.9	6.51
118.93	1670.9	2.35
119.94	4922.2	6.92
120.75	785.2	1.10
121.89	347.7	0.49
122.83	53.4	0.08
123.89	1865.5	2.62
125.62	704.6	0.99
126.52	128.4	0.18
127.13	229.7	0.32
127.93	1348.2	1.90
128.45	379.4	0.53
129.51	962.9	1.35
130.18	1282.7	1.80
131.01	12525.0	17.61
131.90	868.4	1.22
133.15	2066.0	2.90
133.98	20848.1	29.31
134.88	1460.2	2.05
135.70	1746.2	2.45
136.53	200.6	0.28
137.09	1359.2	1.91
138.93	0.4	0.00
139.63	0.0	0.00
140.49	210.5	0.30
141.54	641.2	0.90
142.54	51.4	0.07
143.97	7787.2	10.95
144.99	43173.9	60.70
145.98	3184.1	4.48
146.91	0.4	0.00
147.58	36.0	0.05
148.79	0.0	0.00
149.94	188.0	0.26
150.92	11052.7	15.54
151.99	30488.6	42.86
152.99	3098.8	4.36
153.65	242.7	0.34
154.27	291.9	0.41

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
156.11	985.0	1.38
157.09	186.4	0.26
157.84	24.0	0.03
158.42	59.5	0.08
159.71	0.0	0.00
160.97	0.3	0.00
162.19	0.0	0.00
162.92	0.0	0.00
163.90	0.0	0.00
165.07	16.2	0.02
165.96	49.1	0.07
167.81	50.0	0.07
168.49	367.0	0.52
169.49	257.9	0.36
170.99	18220.5	25.62
172.08	2233.9	3.14
173.06	6905.6	9.71
173.90	173.9	0.24
174.72	0.0	0.00
175.47	0.0	0.00
176.43	0.0	0.00
177.09	0.0	0.00
177.83	39.2	0.06
178.59	702.8	0.99
179.36	0.4	0.00
180.49	28.6	0.04
181.43	0.0	0.00
182.03	0.0	0.00
182.55	0.0	0.00
183.22	1.4	0.00
183.85	0.0	0.00
185.19	0.2	0.00
186.27	0.1	0.00
187.31	0.0	0.00
188.09	0.0	0.00
189.24	0.0	0.00
190.16	30.2	0.04
191.09	0.0	0.00
192.34	0.4	0.00
193.26	400.4	0.56
193.84	0.0	0.00
194.39	0.0	0.00
194.97	1.8	0.00
195.86	11.2	0.02
196.89	0.0	0.00
197.93	0.0	0.00
199.02	0.0	0.00
199.67	257.3	0.36
200.32	0.2	0.00
201.19	0.2	0.00
202.10	2.7	0.00
204.06	345.5	0.49
204.91	0.0	0.00
205.79	0.0	0.00
206.88	344.5	0.48

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
207.76	0.0	0.00
209.38	373.3	0.52
210.34	0.0	0.00
211.14	21.3	0.03
211.74	458.6	0.64
212.50	151.7	0.21
213.04	0.0	0.00
213.88	0.0	0.00
214.87	43.1	0.06
215.86	0.0	0.00
216.52	16.8	0.02
218.03	0.0	0.00
218.70	2.0	0.00
219.75	0.0	0.00
221.36	0.2	0.00
222.93	1898.7	2.67
224.26	24.2	0.03
224.83	0.0	0.00
225.72	567.2	0.80
226.31	0.0	0.00
226.94	346.3	0.49
227.66	0.0	0.00
228.25	0.1	0.00
229.31	362.5	0.51
229.87	0.0	0.00
230.94	0.0	0.00
231.98	399.8	0.56
232.80	0.0	0.00
233.80	0.1	0.00
235.11	2.0	0.00
236.41	0.0	0.00
237.50	1.6	0.00
238.44	167.6	0.24
239.35	721.9	1.01
240.19	1.8	0.00
241.20	0.0	0.00
242.29	0.0	0.00
242.96	0.0	0.00
243.62	0.0	0.00
244.42	0.0	0.00
245.03	0.0	0.00
245.99	0.1	0.00
246.64	0.0	0.00
248.05	0.0	0.00
248.88	0.0	0.00
249.46	0.0	0.00
250.60	0.0	0.00
251.66	0.0	0.00
252.21	0.0	0.00
253.41	289.4	0.41
254.38	1015.2	1.43
255.04	18297.3	25.72
255.99	40981.5	57.62
257.02	6660.1	9.36
258.06	1198.1	1.68

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
259.31	0.1	0.00
259.86	1.7	0.00
260.53	0.0	0.00
261.52	0.0	0.00
262.44	0.0	0.00
263.79	0.0	0.00
265.50	0.0	0.00
266.82	0.0	0.00
267.42	1.1	0.00
267.92	0.0	0.00
268.65	0.1	0.00
269.59	0.1	0.00
270.19	0.0	0.00
271.24	2.6	0.00
271.82	0.0	0.00
272.65	0.0	0.00
273.26	0.0	0.00
274.49	0.0	0.00
275.84	0.0	0.00
276.85	0.0	0.00
277.49	0.0	0.00
278.24	0.0	0.00
279.29	0.0	0.00
280.40	0.0	0.00
281.26	0.0	0.00
282.55	1.1	0.00
283.67	1.0	0.00
284.38	0.1	0.00
285.37	0.0	0.00
286.16	0.0	0.00
286.83	0.0	0.00
288.09	0.1	0.00
289.32	0.0	0.00
291.25	0.0	0.00
292.43	277.6	0.39
293.27	0.0	0.00
293.81	0.0	0.00
294.86	0.0	0.00
295.87	0.0	0.00
297.20	0.0	0.00
298.75	0.0	0.00
299.70	0.0	0.00
300.28	0.0	0.00
301.25	0.0	0.00
301.90	0.0	0.00
302.66	0.0	0.00
303.70	0.0	0.00
305.21	0.0	0.00
306.24	0.0	0.00
307.11	0.0	0.00
307.74	0.0	0.00
309.19	0.0	0.00
309.88	0.0	0.00
310.50	0.0	0.00
311.00	0.5	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
311.93	0.0	0.00
313.33	0.0	0.00
314.21	0.0	0.00
315.15	0.0	0.00
315.69	0.0	0.00
316.54	0.0	0.00
317.94	0.0	0.00
319.17	0.0	0.00
320.36	0.0	0.00
320.97	0.2	0.00
321.50	0.0	0.00
323.23	170.5	0.24
324.20	1.8	0.00
324.97	0.0	0.00
326.36	0.0	0.00
327.49	0.0	0.00
328.72	0.0	0.00
329.59	0.0	0.00
330.38	0.1	0.00
331.54	0.0	0.00
332.06	0.0	0.00
333.03	0.0	0.00
334.40	0.0	0.00
335.15	286.1	0.40
335.93	0.0	0.00
336.61	0.0	0.00
337.55	0.0	0.00
338.60	0.0	0.00
339.14	0.0	0.00
340.28	0.0	0.00
342.02	0.0	0.00
342.68	29.8	0.04
343.64	0.0	0.00
344.41	0.0	0.00
345.33	0.6	0.00
346.30	0.0	0.00
347.39	0.0	0.00
349.19	0.0	0.00
350.38	11.2	0.02
351.40	0.1	0.00
352.33	0.0	0.00
352.93	0.0	0.00
353.68	0.3	0.00
355.72	0.0	0.00
356.99	0.1	0.00
358.49	0.2	0.00
359.43	0.0	0.00
360.41	0.0	0.00
361.61	0.1	0.00
362.82	0.0	0.00
363.84	0.0	0.00
365.34	0.0	0.00
365.89	0.1	0.00
366.64	0.0	0.00
368.23	0.1	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
368.82	0.0	0.00
369.89	0.0	0.00
370.77	0.1	0.00
371.97	2.0	0.00
372.81	0.0	0.00
373.68	0.3	0.00
374.58	0.0	0.00
375.22	0.0	0.00
377.06	0.1	0.00
377.62	0.0	0.00
378.34	0.0	0.00
379.02	0.0	0.00
379.85	1.1	0.00
380.51	0.0	0.00
382.17	0.1	0.00
382.82	0.2	0.00
384.11	0.3	0.00
385.06	0.0	0.00
386.09	0.0	0.00
387.10	0.4	0.00
388.60	0.0	0.00
389.91	0.1	0.00
390.57	0.0	0.00
391.22	0.0	0.00
392.35	0.0	0.00
392.99	0.3	0.00
394.17	0.0	0.00
394.95	0.0	0.00
396.05	0.0	0.00
397.07	0.2	0.00
397.70	0.0	0.00
398.55	0.0	0.00
399.80	0.1	0.00
400.43	0.0	0.00
401.13	0.0	0.00
401.95	0.0	0.00
403.29	0.0	0.00
404.90	1.4	0.00
405.75	0.0	0.00
406.35	23.4	0.03
406.97	0.0	0.00
407.94	0.0	0.00
408.57	0.1	0.00
409.38	0.0	0.00
410.88	0.0	0.00
411.57	0.0	0.00
412.81	36.3	0.05
413.69	0.1	0.00
414.53	0.0	0.00
415.21	0.0	0.00
415.72	0.1	0.00
416.47	0.0	0.00
417.02	1.4	0.00
418.53	0.0	0.00
419.04	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
419.73	0.0	0.00
420.83	0.0	0.00
421.69	0.0	0.00
422.50	0.0	0.00
423.07	0.0	0.00
423.70	0.0	0.00
424.24	0.2	0.00
425.08	0.0	0.00
426.76	63.2	0.09
427.69	0.0	0.00
429.22	0.0	0.00
430.26	0.0	0.00
431.27	0.0	0.00
432.00	0.0	0.00
433.19	0.0	0.00
434.64	1.5	0.00
436.28	0.0	0.00
437.40	0.2	0.00
438.90	0.0	0.00
439.66	0.4	0.00
440.37	49.5	0.07
441.70	0.0	0.00
442.52	0.0	0.00
445.34	0.0	0.00
446.15	0.0	0.00
448.23	0.0	0.00
448.97	43.2	0.06
449.83	36.7	0.05
450.63	0.0	0.00
451.57	0.2	0.00
452.58	0.0	0.00
453.20	0.0	0.00
454.09	0.0	0.00
454.98	0.3	0.00
455.51	0.0	0.00
456.27	1.3	0.00
457.08	0.2	0.00
457.59	13.6	0.02
460.34	0.2	0.00
460.88	0.0	0.00
461.64	0.0	0.00
463.12	0.0	0.00
465.55	0.0	0.00
466.38	0.0	0.00
467.02	0.1	0.00
468.78	0.0	0.00
470.17	0.4	0.00
471.64	0.0	0.00
473.75	0.0	0.00
474.47	18.3	0.03
475.58	0.0	0.00
476.15	0.0	0.00
476.98	0.0	0.00
478.18	215.4	0.30
479.26	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
480.22	0.0	0.00
480.93	0.0	0.00
481.53	0.0	0.00
482.49	0.0	0.00
483.86	23.0	0.03
484.63	0.3	0.00
486.35	0.3	0.00
487.02	0.0	0.00
489.32	0.2	0.00
491.51	0.0	0.00
492.20	0.0	0.00
493.03	0.0	0.00
494.07	0.0	0.00
495.52	0.0	0.00
496.57	0.0	0.00
497.65	0.0	0.00
498.43	0.0	0.00
499.87	0.0	0.00
500.80	0.0	0.00
502.02	0.0	0.00
503.20	0.0	0.00
504.53	0.0	0.00
505.22	0.0	0.00
507.11	0.0	0.00
507.89	0.0	0.00
509.75	0.0	0.00
510.40	0.0	0.00
511.88	0.0	0.00
512.62	0.0	0.00
513.16	0.3	0.00
513.97	0.0	0.00
514.71	0.0	0.00
515.44	0.1	0.00
516.13	0.1	0.00
516.97	0.0	0.00
517.64	0.0	0.00
518.21	0.0	0.00
518.84	0.0	0.00
520.00	0.0	0.00
520.52	0.0	0.00
521.33	0.0	0.00
523.87	0.0	0.00
524.88	0.0	0.00
526.48	0.0	0.00
527.21	0.0	0.00
527.91	0.0	0.00
529.15	0.0	0.00
530.36	0.0	0.00
530.88	0.0	0.00
532.26	0.1	0.00
533.25	0.1	0.00
534.53	0.0	0.00
535.64	0.0	0.00
536.27	0.0	0.00
537.11	0.3	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
537.92	0.0	0.00
539.04	0.0	0.00
539.85	0.0	0.00
540.59	0.0	0.00
541.47	0.0	0.00
542.15	0.0	0.00
542.75	0.1	0.00
544.04	0.0	0.00
546.01	0.0	0.00
547.89	0.0	0.00
548.67	0.0	0.00
549.79	13.6	0.02
550.95	0.0	0.00
552.09	0.1	0.00
553.58	0.0	0.00
554.57	0.0	0.00
555.27	0.0	0.00
556.50	0.1	0.00
557.76	0.0	0.00
559.02	41.9	0.06
559.96	0.0	0.00
561.03	0.0	0.00
561.53	0.0	0.00
562.87	0.0	0.00
563.73	0.0	0.00
564.46	0.0	0.00
565.27	0.0	0.00
566.63	372.2	0.52
568.10	13.7	0.02
569.11	1.1	0.00
569.94	0.0	0.00
570.66	0.0	0.00
572.81	0.1	0.00
573.37	0.0	0.00
574.76	0.0	0.00
575.56	0.0	0.00
576.63	0.0	0.00
577.37	0.0	0.00
578.77	0.0	0.00
579.73	0.0	0.00
580.58	0.0	0.00
582.16	0.2	0.00
584.06	1.5	0.00
584.62	0.0	0.00
585.27	0.0	0.00
586.21	0.0	0.00
586.80	0.0	0.00
588.06	0.0	0.00
588.61	0.0	0.00
589.52	0.3	0.00
590.41	0.0	0.00
591.20	0.0	0.00
592.69	0.0	0.00
593.30	0.0	0.00
594.45	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
595.16	0.2	0.00
596.20	318.5	0.45
597.69	0.0	0.00
598.32	0.4	0.00
598.92	0.0	0.00
599.91	0.0	0.00
600.64	0.0	0.00
601.46	0.0	0.00
602.38	0.0	0.00
603.27	0.0	0.00
604.20	0.0	0.00
604.95	0.0	0.00
606.40	0.0	0.00
607.28	0.0	0.00
608.34	0.0	0.00
609.36	0.0	0.00
609.95	0.0	0.00
611.81	0.0	0.00
612.59	0.0	0.00
613.40	0.0	0.00
614.04	0.0	0.00
615.15	0.1	0.00
616.28	0.0	0.00
617.78	0.0	0.00
618.42	0.0	0.00
619.12	0.3	0.00
619.78	0.3	0.00
620.56	0.0	0.00
621.66	0.0	0.00
622.39	0.0	0.00
623.67	0.0	0.00
624.56	0.0	0.00
625.34	0.0	0.00
626.47	0.0	0.00
627.09	0.1	0.00
628.07	0.0	0.00
628.64	0.0	0.00
629.19	0.0	0.00
629.89	0.0	0.00
631.02	0.3	0.00
632.01	0.2	0.00
632.80	0.0	0.00
633.81	0.0	0.00
634.82	0.0	0.00
636.06	0.0	0.00
637.03	0.0	0.00
638.29	0.0	0.00
639.18	0.0	0.00
640.09	0.0	0.00
641.34	0.0	0.00
642.78	0.0	0.00
643.73	0.0	0.00
644.78	0.0	0.00
645.49	0.0	0.00
646.45	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
647.09	0.0	0.00
647.92	0.0	0.00
648.67	0.0	0.00
649.40	0.0	0.00
649.91	0.0	0.00
650.49	0.0	0.00
651.70	0.0	0.00
652.65	0.0	0.00
653.41	0.0	0.00
654.48	0.0	0.00
655.56	16.0	0.02
656.19	0.0	0.00
657.10	0.0	0.00
657.65	0.0	0.00
658.33	0.0	0.00
659.04	0.0	0.00
660.05	0.0	0.00
660.58	0.0	0.00
661.30	0.0	0.00
661.92	0.0	0.00
662.91	0.0	0.00
664.78	0.0	0.00
665.96	0.0	0.00
667.35	0.0	0.00
667.99	0.0	0.00
668.54	0.0	0.00
669.40	0.0	0.00
670.07	0.0	0.00
671.58	0.4	0.00
672.52	0.0	0.00
673.72	1.7	0.00
675.03	0.1	0.00
676.44	376.5	0.53
677.86	0.0	0.00
678.92	0.0	0.00
679.42	11.0	0.02
680.49	0.0	0.00
681.14	0.0	0.00
682.96	0.0	0.00
683.61	0.3	0.00
684.72	0.0	0.00
685.77	0.1	0.00
686.62	0.1	0.00
687.71	1.4	0.00
688.45	0.0	0.00
688.99	0.0	0.00
689.73	0.0	0.00
690.95	0.2	0.00
692.02	0.0	0.00
692.89	0.0	0.00
695.09	0.6	0.00
696.01	0.0	0.00
697.43	0.0	0.00
698.37	0.0	0.00
699.83	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
700.56	0.0	0.00
701.12	0.2	0.00
702.05	0.2	0.00
703.06	0.0	0.00
703.67	8.7	0.01
705.12	0.0	0.00
706.07	18.4	0.03
706.98	0.0	0.00
707.98	0.0	0.00
709.67	0.2	0.00
710.35	0.0	0.00
710.96	0.0	0.00
711.50	0.0	0.00
712.71	0.0	0.00
714.22	0.0	0.00
715.10	0.0	0.00
716.01	0.0	0.00
716.89	0.1	0.00
717.42	0.4	0.00
718.05	0.2	0.00
719.33	0.0	0.00
720.64	0.0	0.00
721.44	0.0	0.00
722.39	0.0	0.00
723.06	0.0	0.00
723.85	0.0	0.00
724.85	0.0	0.00
725.68	0.0	0.00
726.24	0.0	0.00
726.87	0.0	0.00
727.96	0.0	0.00
728.95	0.0	0.00
729.56	0.1	0.00
730.63	23.5	0.03
731.76	0.1	0.00
733.16	0.0	0.00
733.97	0.0	0.00
735.62	0.2	0.00
736.52	0.0	0.00
737.37	0.0	0.00
738.78	0.0	0.00
739.35	0.0	0.00
740.49	36.3	0.05
741.90	0.0	0.00
742.64	0.0	0.00
743.26	24.5	0.03
744.58	0.0	0.00
745.52	0.0	0.00
746.09	0.0	0.00
747.20	0.0	0.00
748.58	0.0	0.00
749.40	0.0	0.00
750.33	0.0	0.00
750.84	0.0	0.00
752.03	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
753.14	0.0	0.00
754.04	0.0	0.00
754.77	0.0	0.00
755.47	0.0	0.00
756.41	0.0	0.00
757.53	0.0	0.00
758.15	0.1	0.00
759.20	0.0	0.00
760.82	0.0	0.00
761.65	0.0	0.00
762.75	0.0	0.00
763.72	0.0	0.00
764.34	0.0	0.00
765.70	49.7	0.07
766.78	0.0	0.00
767.72	0.0	0.00
769.61	0.0	0.00
771.07	0.4	0.00
772.28	0.0	0.00
773.09	0.0	0.00
773.95	0.0	0.00
775.09	0.0	0.00
775.98	0.0	0.00
777.18	0.0	0.00
778.36	0.0	0.00
779.25	0.0	0.00
780.50	0.0	0.00
781.62	0.0	0.00
782.84	0.0	0.00
784.03	0.0	0.00
784.64	0.0	0.00
785.27	0.0	0.00
785.84	0.0	0.00
786.37	0.0	0.00
787.33	1.5	0.00
788.28	0.0	0.00
789.35	0.0	0.00
790.58	0.0	0.00
791.93	0.0	0.00
792.95	16.6	0.02
793.47	0.0	0.00
794.34	0.0	0.00
794.95	0.0	0.00
795.53	0.0	0.00
796.47	0.0	0.00
797.71	0.0	0.00
799.39	0.0	0.00
799.99	0.0	0.00
800.51	0.1	0.00
801.68	0.0	0.00
802.45	0.0	0.00
803.04	0.0	0.00
803.78	0.0	0.00
805.41	0.0	0.00
806.33	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
807.24	0.0	0.00
807.78	0.0	0.00
808.40	0.0	0.00
809.86	0.0	0.00
811.32	0.0	0.00
812.42	0.0	0.00
813.49	0.0	0.00
814.94	0.0	0.00
815.87	0.0	0.00
816.66	0.0	0.00
817.34	1.5	0.00
818.35	0.0	0.00
818.99	0.0	0.00
819.51	0.0	0.00
820.06	0.0	0.00
821.83	0.0	0.00
822.82	0.0	0.00
823.84	0.0	0.00
825.68	0.1	0.00
826.44	0.0	0.00
827.10	0.1	0.00
828.62	374.0	0.53
829.75	0.0	0.00
831.61	0.0	0.00
832.44	0.0	0.00
833.05	0.0	0.00
833.85	0.0	0.00
834.45	0.1	0.00
835.81	24.5	0.03
836.67	0.0	0.00
837.42	0.0	0.00
838.67	0.0	0.00
839.88	1.7	0.00
841.10	0.0	0.00
842.17	1.7	0.00
844.26	293.0	0.41
847.35	0.0	0.00
848.16	0.0	0.00
848.69	0.0	0.00
849.44	0.0	0.00
850.02	0.0	0.00
850.58	0.0	0.00
852.32	0.0	0.00
853.85	0.0	0.00
855.08	0.0	0.00
855.94	0.0	0.00
857.13	0.0	0.00
858.00	0.0	0.00
858.67	0.0	0.00
859.83	0.0	0.00
861.44	215.8	0.30
862.28	0.0	0.00
862.83	0.0	0.00
863.78	0.0	0.00
864.69	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
865.22	11.4	0.02
867.40	0.1	0.00
868.26	0.0	0.00
869.31	0.0	0.00
869.83	0.3	0.00
870.84	0.0	0.00
871.55	0.0	0.00
872.79	0.1	0.00
873.45	0.0	0.00
875.31	0.0	0.00
875.95	0.0	0.00
877.15	0.0	0.00
878.13	0.0	0.00
879.14	0.0	0.00
880.29	0.0	0.00
881.97	0.0	0.00
883.96	0.0	0.00
884.49	0.0	0.00
885.49	0.0	0.00
886.57	0.0	0.00
887.88	0.0	0.00
888.59	0.0	0.00
889.24	0.0	0.00
890.56	0.0	0.00
891.45	0.1	0.00
892.85	0.1	0.00
893.65	0.0	0.00
894.59	0.0	0.00
896.57	0.0	0.00
897.32	0.0	0.00
899.86	319.6	0.45
901.72	0.0	0.00
902.34	0.0	0.00
902.84	0.0	0.00
903.88	0.0	0.00
904.67	0.0	0.00
905.44	30.8	0.04
907.31	0.0	0.00
908.02	0.0	0.00
908.63	0.0	0.00
909.37	0.0	0.00
910.31	0.0	0.00
910.82	0.0	0.00
912.84	0.0	0.00
913.85	0.0	0.00
914.78	0.0	0.00
915.66	0.0	0.00
916.57	0.0	0.00
917.34	0.0	0.00
919.01	0.0	0.00
920.34	0.0	0.00
921.21	0.0	0.00
922.35	0.0	0.00
924.65	179.2	0.25
925.61	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
927.03	0.0	0.00
928.31	0.0	0.00
929.40	0.0	0.00
930.18	0.0	0.00
930.72	0.0	0.00
932.33	0.0	0.00
933.11	0.0	0.00
933.75	0.0	0.00
934.46	0.0	0.00
935.56	0.0	0.00
936.21	0.0	0.00
937.28	0.0	0.00
938.61	0.0	0.00
939.44	0.0	0.00
940.07	0.0	0.00
940.93	0.0	0.00
941.82	0.0	0.00
942.41	0.0	0.00
943.83	0.0	0.00
944.61	0.0	0.00
945.39	0.0	0.00
945.97	0.0	0.00
947.17	0.0	0.00
947.70	0.0	0.00
948.69	0.0	0.00
949.91	0.0	0.00
950.42	0.0	0.00
951.68	1.1	0.00
952.70	0.0	0.00
953.71	0.0	0.00
954.77	0.0	0.00
955.45	0.4	0.00
956.08	0.0	0.00
957.12	0.0	0.00
958.12	0.0	0.00
958.72	0.0	0.00
959.40	0.0	0.00
960.08	0.0	0.00
961.06	0.0	0.00
962.34	37.2	0.05
962.89	0.0	0.00
963.51	0.0	0.00
964.31	0.0	0.00
965.07	0.0	0.00
966.67	0.0	0.00
967.64	0.0	0.00
968.91	0.0	0.00
970.38	0.0	0.00
971.25	0.0	0.00
971.82	0.0	0.00
972.62	0.0	0.00
973.17	0.0	0.00
973.77	0.0	0.00
974.80	9.2	0.01
975.65	0.0	0.00

Selwan-39A#170 RT: 0.61

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
976.37	0.0	0.00
977.62	0.0	0.00
978.70	0.1	0.00
979.32	0.0	0.00
980.13	0.0	0.00
981.61	300.3	0.42
982.18	4.1	0.01
983.49	0.0	0.00
984.26	25.1	0.04
985.36	0.0	0.00
985.89	0.0	0.00
986.83	0.0	0.00
987.53	272.1	0.38
988.29	0.0	0.00
989.19	268.8	0.38
990.57	0.0	0.00
991.09	0.0	0.00
991.70	0.0	0.00
992.50	0.0	0.00
993.52	0.4	0.00
994.44	7.1	0.01
996.00	273.0	0.38
997.11	0.0	0.00
997.75	0.0	0.00
998.78	0.0	0.00
999.36	0.0	0.00